

Dynamics Explorer 1, Retarding Ion Mass Spectrometer Summary Spectrograms—81/280 to 81/365 Spin-Time Spectrograms for H⁺, He⁺, O⁺, N⁺, O⁺⁺, M/Z=2, and Molecular Ions

DE 1/RIMS Investigators
Marshall Space Flight Center • MSFC, Alabama

Contact: B.L. Giles
Space Sciences Laboratory
Science & Engineering Directorate

National Aeronautics and Space Administration Marshall Space Flight Center • MSFC, Alabama 35812

TABLE OF CONTENTS

I.	Introduction to the DE mission and the RIMS Instrument	1
	A. Description of Spacecraft	
	B. Orbit Information	
	C. Description of the Instrument	1
	D. References to aid in the use and understanding of the RIMS data set	3
II.	Description of the RIMS Summary Spectrograms	5
III.	DE 1/RIMS 1981 Data Catalog	
	DE1/RIMS 1981 Instrument Modes	
	DE1/RIMS 1981 Summary Spectrograms	



NASA TECHNICAL MEMORANDUM

DYNAMICS EXPLORER 1, RETARDING ION MASS SPECTROMETER SUMMARY SPECTROGRAMS

81/280 TO 81/365 SPIN-TIME SPECTROGRAMS FOR H⁺, HE⁺, O⁺, N⁺, O⁺⁺, M/Z=2, AND MOLECULAR IONS

I. INTRODUCTION TO THE DE MISSION AND THE RIMS INSTRUMENT

The introductory material is taken, in part, from the following sources:

- Chappell, C. R., S. A. Fields, C. R. Baugher, J. H. Hoffman, W. B. Hanson, W. W. Wright, H. D. Hammack, G. R. Carignan, and A. F. Nagy, The Retarding Ion Mass Spectrometer on Dynamics Explorer-A, Space Sci. Instrum., 5, 477, 1981.
- Fields, S. A., C. R. Baugher, C. R. Chappell, D. L. Reasoner, H. D. Hammack, W. W. Wright, and J. H. Hoffman, Instrument manual for the retarding ion mass spectrometer on Dynamics Explorer-1, NASA Technical Memorandum, NASA TM-82484, 1982.
- Hoffman, R. A., C. D. Hogan, and R. C. Maehl, Dynamics Explorer spacecraft and ground operations systems, Space Sci. Instrum., 5, 349-367, 1981.
- Hoffman, R.A., The magnetosphere, ionosphere, and atmosphere as a system: Dynamics Explorer 5 years later, Rev. Geophys., 26, 209, 1988.
- Olsen, R. C., R. H. Comfort, M. O. Chandler, T. E. Moore, J. H. Waite, Jr., D. L. Reasoner, and A. P. Biddle, DE 1 RIMS operational characteristics, NASA Technical Memorandum, NASA TM-86527, 1985.

A. DESCRIPTION OF SPACECRAFT

On August 3, 1981, a Delta rocket launched from Vandenberg Air Force Base successfully placed the two Dynamics Explorer (DE) spacecraft into coplanar polar orbits. The purpose of the mission was to acquire data relevant to processes coupling the magnetosphere, ionosphere, and upper atmosphere. The two spacecraft were manufactured by the Government System Division of RCA, and the instruments were provided by various principal investigators. A complete description of the mission, spacecraft, instruments, and ground data systems appears in an issue of Space Science Instruments (Volume 5, pp. 345-573, 1981), edited by R. A. Hoffman. The high-altitude satellite, DE 1, carried an auroral imager and detectors designed primarily for field and particle measurements. The low-altitude satellite carried more aeronomic-type instruments. The orbits of the two satellites remained very nearly coplanar during their joint lifetimes, providing the unique opportunity to acquire data at two altitudes along common magnetic flux tubes. DE 2, operating at ionospheric altitudes, re-entered the atmosphere in February 1983. DE 1 ceased data collection operations in March 1991.

Both spacecraft were power limited and considerable effort was expended in selecting portions of orbits for maximum science return. DE 1 had a duty cycle of nearly 90% during the early portion of the mission, but in general varied between 16-55%. DE 2 had a duty cycle between 16 and 36%. Times of magnetic conjunction between the spacecraft, or between one spacecraft and a collaborating ground observatory, were

given high priority. Also, data acquisition during passages through geophysical regions like the dayside cusp and plasmapause WAS emphasized.

B. ORBIT INFORMATION

The DE 1 satellite, carrying the RIMS experiment, was launched into an elliptical polar orbit on August 3, 1981. The ~7.5 hour orbit has perigee of 675 km altitude and apogee of 24,875 km altitude. The orbit plane drifts westward at a rate of ~1 hour MLT every 15.4 days (24 hours in 12 months); the orbit line of apsides drifts about 0.328° geographic latitude each day (moving from one pole to the other in 18 months). Thus, the orbit which started in the dawn-dusk plane with apogee over the north pole precessed to noon-midnight, with apogee over the midnight equator by the spring of 1982. The apogee continued to sweep around in latitude, bringing its position over the south pole during the summer of 1983, the noon sector equator during the spring of 1984, and returned to approximately its original position during the winter of 1984.

Note that while the DE 1 orbit provides coverage for most all local times and latitudes out to the apogee at 4.65 R_E, the 3 to 1 ratio between the drift of the line of apsides and the westward drift of the orbital plane results in uneven coverage in local time for a given altitude. In particular, in the 12-18 hour magnetic local time sector, the higher altitudes in the auroral latitude region were not fully sampled.

The spacecraft spins in a reverse cartwheel mode, at 10 rpm with its spin axis perpendicular to the orbit plane. The spacecraft orbital-plane is roughly coincident with the magnetic field meridian plane so that the radial head (mounted perpendicular to the spin axis) responds to ion fluxes for nearly the full range of magnetic pitch angles (-180° to +180°).

C. DESCRIPTION OF THE INSTRUMENT

The Retarding Ion Mass Spectrometer (RIMS) experiment onboard the DE 1 satellite was designed to perform energy and mass-per-charge analysis on low-energy ions (<50 eV) with mass/charge ranging from 1 to 40 amu/Z. The instrument is fully described by Chappell et al. (The Retarding Ion Mass Spectrometer on Dynamics Explorer-A, Space Sci. Instrum., 4, 477, 1981). RIMS has significantly improved capabilities over previous retarding potential analyzer instruments (RPA) by providing ion mass/charge separation so that RPA and spin curves are obtained separately for each programmed species. These enhanced instrument

capabilities, combined with the DE 1 orbit, produced a unique opportunity to investigate the variable dynamics and composition of the low-energy ion population in the near-Earth space environment.

DE 1 RIMS consists of four instrument assemblies interconnected to form one experiment. Three of the assemblies are sensor heads and one is the central electronics assembly. The three heads are labeled according to the mounting axis on the DE 1 spacecraft: Radial, +Z, and -Z. The radial sensor views perpendicular to the spacecraft spin axis, while the ±Z sensors on the ends of the spacecraft view parallel and anti-parallel to the spin axis. The central electronics assembly (CEA) provides the spacecraft interface, all data processing, command decoding, and complete timing control of the entire RIMS experiment.

Each sensor head consists of an RPA followed by a magnetic mass analyzer with two separate exit slits corresponding to two mass/charge ranges in the ratio 1:4. The total mass/charge range covered is 1 to 40 amu/Z. Surrounding and attached to the entrance of the sensor head is a 20-cm circular aperture plate. The plate is connected to a relay which can, on command, connect to either spacecraft chassis ground or to the aperture potential power supply output. The aperture potential power supply can be set by spacecraft minor mode A command to 0, -2, -4, or -8 V to partially compensate for a non-zero positive spacecraft potential.

The retarding grid of the RPA is connected to the retarding potential power supply through a shielded conductor. The retarding potential may be set to any one of 1024 linearly spaced steps from 0 to +51.125 V with a resolution of 0.05 V. The RPA collector plate is connected through a co-axial cable to a 5-decade logarithmic amplifier. The reference voltage for the front end of the log amp is the output of the aperture potential power supply. The output of the log amp is converted, by command from the CEA, to a 10-bit digital word using an analog/digital (A/D) converter. The digital word is held in a holding register until the CEA is ready to read and process the data.

Those ions passing into the Ion Mass Spectrometer (IMS) are sorted according to their mass to charge ratio. The proper combination of ion accelerating voltage, applied magnetic field strength, and ion beam gyro radius in the applied magnetic field determines the mass/charge of the ion focused on each collector slit. Varying the ion accelerating voltage varies the ion mass/charge detected. Ions of mass/charge 1 to 8 amu/Z and 4 to 32 amu/Z can be focused on the low and high mass slits, respectively. Ions exiting the collector slits are counted by channel electron multiplier (CEM) The ion mass/charge range is also programmable by a minor mode command. Any 32 of 4096 voltage steps may be selected. All 32 steps may be the same, in which case the mass/charge analyzer will be locked onto a given pair of mass/charge peaks having the ratio 1:4. The two-channel IMS uses CEMs as detectors. The two CEMs in each sensor head are powered by a single multiplier high-voltage power supply which can be set, by spacecraft minor mode A command, to any one of four voltages, -1200, -2100,

-2400, and -2800 V. The IMS accelerating voltage comes from a swept high voltage power supply that can be addressed to any one of 4096 linearly spaced steps between 0 and -2250 V.

The output of each detector is connected to a charge sensitive pulse amplifier whose output is sent to a level detector. The discrimination level is set by spacecraft minor mode A command. Pulses from the discriminator are coupled to an 18-stage binary counter. Four bits of the counter are located in each head, and the other 14 bits of each accumulator are located in the CEA. The CEA contains the circuitry for compressing each accumulator output into a 10-bit base 2-floating point number (6-bit mantissa and 4-bit exponent) for output into the telemetry buffer.

The DE spacecraft utilizes a pulse code modulation data system with 128, 8-bit words at a main frame rate of 16 frames per second. Note that the RIMS instrument is assigned 26 of these 8-bit telemetry words. One 8-bit word is reserved for status information, five groups of 5 8-bit telemetry words each are used for measurements – where each group is considered a telemetry channel by the processor. With this convention, each telemetry channel can contain 4 each 10-bit instrument words. Each data sample represents a period of 1/4 minor frame (1/64th of a second, or 15.625 msec.) Each RIMS sensor head has three data outputs, the RPA and high and low mass IMS channels, and therefore outputs 9 measurements each 1/4 frame for a total of 36, 10-bit instrument words per telemetry minor frame. Since the 40-bit telemetry channel can contain only 4, 10-bit instrument words, only 20 of the 36 instrument words may be loaded into the telemetry channels each telemetry frame (4 instrument words x 5 telemetry channels). The telemetry channel assignments, number of words assigned to each, and their content are as follows:

- A 1 Housekeeping and status
- B 5 Radial IMS low-mass channel accumulation
- C 5 Radial IMS high-mass channel accumulation
- O 5 Alternates each 1/4 frame between +Z IMS low & high-mass accumulation
- E 5 Alternates each 1/4 frame between -Z IMS low & high-mass accumulation
- F 5 Alternates each 1/4 frame between radial, +Z, and -Z RPA (electrometer) accumulation

The instrument cycle is 32 data samples from each data source. The RIMS completes one instrument cycle each 0.5 sec. Each data sample represents a period of 15.625 msec. This interval consists of a measurement interval and a data processing interval. During the measurement interval, the IMS accumulators are active for a period of 12 msec. The 3.625 msec data processing interval is used to process the data accumulated during the measurement interval and to establish the mass/charge voltage and retarding voltage for the next integration period.

The RIMS instrument continued to return usable data until the end of the DE mission in March 1991. The radial head RPA failed on 81/329 19:50:18. It worked again between 82/045 23:30 and 82-046 06:15 before failing again. Sometime before 82/046 the -Z head

aperture bias mechanism failed. At launch the -Z head was found to be biased -2 V with respect to the other two heads. The anomaly disappeared on day 73 or 74 of 1982. The Z heads show spin variation primarily at low altitudes in cold, dense plasmas at high spacecraft velocities. For a more detailed and complete account of RIMS performance characteristics, see Olsen et al., DE-1 RIMS Operational Characteristics, NASA TM-86527, 1985.

The RIMS instrument data was provided by GSFC to ES53/MSFC on 1600 BPI magnetic tapes. The RIMS data was extracted and combined with orbit/attitude and magnetic field data to produce mission analysis files (MAF) and summary spectrograms. There is usually one MAF file per pass (RIMS instrument on/off time). Each MAF file data record consists of 8 seconds of RIMS data (512 samples per channel, each sample 1/64 sec measurement), in time order. One MAF record is 5624 bytes in size. The first 100 locations (16-bit words) of this record contain timing, orbit/attitude, B-field, and instrument mode information. Since the instrument mode takes some logic to decode, subroutines are available that perform the decoding of the instrument flags, determination of RPA/IMS settings for any sample through the 512, and decommutation of the D and E channels (Z-head data).

Data quality is, in general, excellent. Data are not always recorded at altitudes down to the DE 1 perigee of 675 km. At the lower altitudes, the plasma density can be quite high and the RIMS instrument is generally shut off to protect the particle detecting CEMs from excessive counting rates. However, on occasion, saturation of the detecting CEMs may be seen in the radial head data during low altitude-high density passes.

Detection of very low-energy ions is made difficult by the presence of floating spacecraft potentials. Analysis of RIMS data by Olsen [1989] established a densitypotential relationship, such that the satellite accumulates positive charge on entering density regions below 1000 cm⁻³, rising slowly to about +1 V at 100 cm⁻³, and about +5 V at 10 cm⁻³. By preventing measurement of the coldest plasma components, this potential can mask out an isotropic background plasma or, when the potential is sufficiently high, can give the appearance that no cold plasma exists in a region. This effect is known to be a concern in the plasmapause and trough region, where densities are of the order 7 to 70 cm⁻³ and the spacecraft may reach potentials of +2 to +5 V [Olsen, 1989]. At altitudes above the ionosphere in the polar regions, densities again can be sufficiently low that observation of ions of classical polar wind speed is possible only during negative aperture bias instrument modes [Nagai et al., 1984].

The DE 1/RIMS team has attempted to compensate for the spacecraft charging by the addition of a voltage bias plate at the entrance aperture of the instrument. The diameter of the external aperture plane is 20 cm, which may be compared to the spacecraft dimension of one meter in height and 1/4 meter in diameter. The instrument retarding voltages are referenced to this aperture plane, so that to the RIMS detector the effect of the bias is similar to a change in spacecraft potential,

though sheath effects can complicate the interpretation of the resulting data.

D. REFERENCES TO AID IN THE USE AND UNDERSTANDING OF THE RIMS DATA SET

Instrument Description Papers

- Chappell, C. R., S. A. Fields, C. R. Baugher, J. H. Hoffman, W. B. Hanson, W. W. Wright, H. D. Hammack, G. R. Carignan, and A. F. Nagy, The Retarding Ion Mass Spectrometer on Dynamics Explorer-A, Space Sci. Instrum., 5, 477, 1981.
- Fields, S. A., C. R. Baugher, C. R. Chappell, D. L. Reasoner, H. D. Hammack, W. W. Wright, and J. H. Hoffman, Instrument manual for the retarding ion mass spectrometer on Dynamics Explorer-1, NASA TM-82484, 1982.
- Olsen, R. C., R. H. Comfort, M. O. Chandler, T. E. Moore, J. H. Waite, Jr., D. L. Reasoner, and A. P. Biddle, DE 1 RIMS operational characteristics, NASA TM-86527, 1985.

Analysis Technique Papers

- Biddle, A. P., T. E. Moore, and C. R. Chappell, Evidence for ion heat flux in the light ion polar wind, J. Geophys. Res., 90, 8552, 1985.
- Chandler, M. O., and C. R. Chappell, Observations of the flow of the H⁺ and He⁺ along magnetic field lines in the plasmasphere, J. Geophys. Res., 91, 8847, 1986.
- Comfort, R. H., C. R. Baugher, and C. R. Chappell, Use of the thin sheath approximation for obtaining ion temperatures from the ISEE-1 limited aperture RPA, J. Geophys. Res., 87, 5709, 1982.
- Comfort, R. H., J. H. Waite, Jr., and C. R. Chappell, Thermal ion temperature from the retarding ion mass spectrometer on DE-1, J. Geophys. Res., 90, 3475, 1985.
- Comfort, R. H. and M. O. Chandler, Semi-empirical analytical model for the spin modulation of RPA fluxes, J. Spacecraft Roc., 27, 577, 1990
- Giles, B. L., Inner magnetosphere circulation of thermal ions inferred from observed pitch angle distributions, Ph.D. thesis, University of Alabama in Huntsville, 1993.
- Pollock, C. J., M. O. Chandler, T. E. Moore, J. H. Waite, Jr., C. R. Chappell, and D. A. Gurnett, A survey of upwelling ion event characteristics, J. Geophys. Res., 95, 18,969-18,980, 1990.
- Waite, J. H., Jr., D. L. Gallagher, M. O. Chandler, R. C. Olsen, R. H. Comfort, J. F. E. Johnson, C. R. Chappell, W. K. Peterson, D. Weimer, S. D. Shawhan, and E. G. Shelley, Plasma and wave observations of a Pc5 wave event, J. Geophys. Res., 91, 11,147, 1986.

Additional Science References

- Boardsen, S. A., D. L. Gallagher, D. A. Gurnett, W. K. Peterson, and J. L. Green, Funnel-shaped, low-frequency equatorial waves, J. Geophys. Res., 97, 14,967, 1992.
- Brace, L. H., C. R. Chappell, M. O. Chandler, R. H. Comfort, J. L. Horwitz, and W. R. Hoegy, F-region electron temperature signatures of the plasmapause based on Dynamics Explorer 1 and 2 measurements, J. Geophys. Res., 93, 1896, 1988.
- Carpenter, D. L., A. J. Smith, B. L. Giles, C. R. Chappell, and P. M. E. Décréau, A case study of plasma structure in the dusk sector associated with enhanced magnetospheric convection, J. Geophys. Res., 97, 1157-1166, 1992.
- Carpenter, D. L., B. L. Giles, C. R. Chappell, P. M. E. Décréau, R. R. Anderson, A. M. Persoon, A. J. Smith, Y. Corcuff, and P. Canu, Plasmasphere dynamics in the duskside bulge region; a new look at an old topic, J. Geophys. Res., 98, 19,243-19,271, 1993.
- Chandler, M. O., J. U. Kozyra, J. L. Horwitz, R. H. Comfort, W. K. Peterson, and L. H. Brace, Modeling of the thermal plasma in the outer plasmasphere: A magnetospheric heat source, in *Modeling Magnetospheric Plasma Processes, Geophys. Mono. Series #62*, G. R. Wilson (ed.), Am. Geophys. Union, Washington, DC, pp. 101-105, 1991.
- Chandler, M. O., J. H. Waite, Jr., T. E. Moore, Observations of polar ion outflows, J. Geophys. Res., 96, 1421, 1991.
- Chappell, C. R., Initial observations of thermal plasma composition and energetics from Dynamics Explorer-1, Geophys. Res. Lett., 9, 929-932, 1982.
- Chappell, C. R., The terrestrial plasma source: A new perspective in solar-terrestrial processes from Dynamics Explorer, Rev. Geophys., 26, 229, 1988.
- Chappell, C. R., J. L. Green, J. F. E. Johnson, and J. H. Waite, Jr., Pitch angle variations in magnetospheric thermal plasma initial observations from Dynamics Explorer-1, Geophys. Res. Lett., 9, 933-936, 1982.

- Chappell, C. R., R. C. Olsen, J. L. Green, J. F. E. Johnson, and J. H. Waite, Jr., The discovery of nitrogen ions in the earth's magnetosphere, *Geophys. Res. Lett.*, 9, 937-940, 1982.
- Chappell, C. R., T. E. Moore, and J. H. Waite, Jr., The ionosphere as a fully adequate source of plasma for the earth's magnetosphere, J. Geophys. Res., 77, 6104, 1987.
- Comfort, R. H., Plasmasphere thermal structure as measured by ISEE-2 and DE-1, Adv. Space Res., 6, 31-40, 1986.
- Comfort, R. H., I. T. Newberry, and C. R. Chappell, Preliminary statistical survey of plasmaspheric ion properties from observations by DE-1/RIMS, in *Modeling Magnetospheric Plasma Processes, Geophys. Mono. Series* #62, G. R. Wilson (ed.), Am. Geophys. Union, Washington, DC, pp. 107-114, 1991.
- Craven, P. D., R. C. Olsen, C. R. Chappell, and L. Kakani, Observations of molecular ions in the earth's magnetosphere, J. Geophys. Res., 90, 7599-7605, 1985.
- Craven, P. D., R. H. Comfort, D. L. Gallagher, and R. West, A study of the statistical behavior of ion temperatures from DE1/RIMS, in Modeling Magnetospheric Plasma Processes, Geophys. Mono. Series #62, G. R. Wilson (ed.), Am. Geophys. Union, Washington, DC, pp. 173, 1991.
- Decreau, P. M. E., D. Carpenter, C. R. Chappell, R. H. Comfort, J. L. Green, R. C. Olsen, and J. H. Waite, Jr., Latitudinal plasma distribution in the dusk plasmaspheric bulge: Refilling phase and quasi-equilibrium state, J. Geophys. Res., 91, 6929-6943, 1986.
- Delcourt, D. C., B. L. Giles, C. R. Chappell, and T. E. Moore, Lowenergy bouncing ions in the magnetosphere: A three-dimensional numerical study of Dynamics Explorer 1 data, J. Geophys. Res., 93, 1859, 1988.
- Engebretson, M. J., L. J. Cahill, Jr., J. H. Waite, Jr., D. L. Gallagher, M. O. Chandler, M. Sugiura, and D. R. Weimer, Wave and plasma observations during a compressional Pc5 wave event, August 10, 1982, J. Geophys. Res., 91, 6884, 1986.
- Farthing, W. H., M. Sugiura, B. G. Ledley and L. J. Cahill, Jr., Magnetic field observations on DE-A, Space Sci. Instrum., 5, 551, 1081
- Gallagher, D. L., J. D. Menietti, A. K. Persoon, J. H. Waite, Jr., and C. R. Chappell, Evidence of high densities and ion outflows in the polar cap during recovery phase, J. Geophys. Res., 91, 3321, 1986.
- Gallagher, D. L., and. P. D. Craven, Initial development of a new empirical model of the Earth's inner magnetosphere for density, temperature, and composition, *Modeling Magnetospheric Plasma*, Geophys. Mono. Series #44, T. E. Moore and J. H. Waite Jr., eds., pp. 61-65, 1988.
- Gallagher, D L., P. D. Craven, and R. H. Comfort, An empirical model of the Earth's plasmasphere, Adv. Space Res., 8, 15, 1988.
- Giles, B. L., C. R. Chappell, J. H. Waite, Jr., T. E. Moore, and J. L. Horwitz, Dynamic evolution of low-energy ions in the terrestrial magnetosphere, in *Modeling Magnetospheric Plasma, Geophys. Mono. Series #44*, T. E. Moore and J. H. Waite, Jr. (eds.), Am. Geophys. Union, Washington, DC, p. 177, 1988.
- Giles, B. L., C. R. Chappell, T. E. Moore, R. H. Comfort, and J. H. Waite, Jr., A statistical survey of pitch angle distributions in core (0-50 eV) ions from Dynamics Explorer 1, J. Geophys. Res., in press, 1994.
- Green, J. L., J. H. Waite, Jr., C. R. Chappell, M. O. Chandler, J. R. Doupnik, P. G. Richards, R. Heelis, S. D. Shawhan, and L. H. Brace, Observations of ionospheric-magnetospheric coupling: DE and Chatanika coincidences, J. Geophys. Res., 91, 5803, 1986.
- Horwitz, J. L. Core plasma in the magnetosphere, Rev. Geophys., 25, 579, 1987.
- Horwitz, J. L., R. H. Comfort, and C. R. Chappell, Thermal ion composition measurements of the formation of the new outer plasmasphere and double plasmapause during storm recovery phase, *Geophys. Res., Lett.*, 11, 701-704, 1984.
- Horwitz, J. L., J. H. Waite, Jr., and T. E. Moore, Supersonic ion outflows in the polar magnetosphere via the geomagnetic spectrometer, Geophys. Res., Lett. 12, 757, 1985.
- Horwitz, J. L., S. Menteer, J. Turnley, J. L. Burch, J. D. Winningham, C. R. Chappell, J. D. Craven, L. A. Frank, and D. W. Slater, Plasma boundaries in the inner magnetosphere, J. Geophys. Res., 91, 8861, 1986.
- Horwitz, J. L., L. H. Brace, R. H. Comfort, and C. R. Chappell, Dual spacecraft measurements of plasmasphere and ionosphere structure, *J. Geophys. Res.*, 91, 11,203-11,216, 1986.
- Horwitz, J. L., R. H. Comfort, and C. R. Chappell, Plasmasphere and plasmapause characteristics as measured by DE-1, Adv. Space Res., 6, 21-29, 1986.
- Horwitz, J. L., R. H. Comfort, and C. R. Chappell, A statistical characterization of plasmasphere structure and boundary locations, *J. Geophys. Res.*, 95, 7937, 1990.

- Horwitz, J. L., R. H. Comfort, P. G. Richards, M. O. Chandler, C. R. Chappell, P. Anderson, W. B. Hanson, and L. H. Brace, Plasmasphere-ionosphere coupling, 2, Ion composition measurements at plasmaspheric and ionospheric altitudes and comparison with modeling results, J. Geophys. Res., 95, 7949, 1990.
- Horwitz, J. L., T. E. Moore, B. L. Giles, G. R. Wilson, C. W. Ho, J. Lin, and K. Swinney, Kinetic features of core plasmas in the magnetosphere: A new generation of observations and simulations, J. Geomag. Geoelect., 43, 275, 1991.
- Horwitz, J. L., C. J. Pollock, T. E. Moore, J. L. Burch, J. D. Winningham, J. D. Craven, L. A. Frank, and A. Persoon, The polar cap environment of outflow O⁺ J. Geophys. Res., 97, 8361, 1992.
- Kozyra, J. U., E. G. Shelley, R. H. Comfort, L. H. Brace, T. E. Cravens, and A. F. Nagy, The role of ring current O⁺ in the formation of stable auroral red arcs, J. Geophys. Res., 92, 7487-7502, 1987.
- Kozyra, J. U., T. E. Cravens, A. F. Nagy, D. A. Gurnett, R. L. Huff, R. H. Comfort, J. H. Waite, Jr., L. H. Brace, R. A. Hoffman, J. D. Winningham, J. L. Burch, and W. K. Peterson, Satellite observations of new particle and field signatures associated with SAR arc field lines at magnetospheric heights, Adv. Space Res., 7, (8)3-(8)6, 1987.
- Kozyra, J. U., M. O. Chandler, D. C. Hamilton, W. K. Peterson, D. M. Klumpar, D. W. Slater, M. J. Buonsanto, and H. C. Carlson, The role of ring current nose events in producing stable auroral red arc intensification during the main phase: Observations during the September 19-24, 1984, equinox transition study. J. Geophys. Res., 98, 9267, 1993.
- Lin, N., M. J. Engebretson, L. A. Reinleitner, J. V. Olsen, D. L. Gallagher, L. J. Cahill, Jr., J. A. Slavin, and A. M. Persoon, Field and thermal observations of ULF pulsations during a magnetically disturbed interval, Geophys. Res., Lett., 97, 14,859, 1992.
- Lockwood, M., J. H. Waite, Jr., T. E. Moore, J. F. E. Johnson, and C. R. Chappell, A new source of suprathermal O⁺ ions near the dayside polar cap boundary, J. Geophys. Res., 90, 4099-4116, 1985.
- Lockwood, M., M. O. Chandler, J. L. Horwitz, J. H. Waite, Jr., T. E. Moore, and C. R. Chappell, The cleft ion fountain, J. Geophys. Res., 90, 9736, 1985.
- Lockwood, M., T. E. Moore, J. H. Waite, Jr., C. R. Chappell, J. L. Horwitz, and R. A. Heelis, The geomagnetic mass spectrometer-mass and energy dispersions of ionospheric ion flows into the magnetosphere, Nature, 316, 612, 1985.
- Menietti, J. D., J. L. Burch, R. L. Williams, D. L. Gallagher, and J. H. Waite, Jr., Statistical study of enhanced ion fluxes in the outer plasmasphere, in Ion Acceleration in the Magnetosphere and Ionosphere, Geophys. Mono. Series #38, Tom Chang (ed.), Am. Geophys. Union, Washington, DC, p.172, 1985.
- Menietti, J. D., D. L. Gallagher, and J. L. Burch, Statistical study of ion flows in the dayside and nightside plasmasphere, *Planet. Space Sci.*, 36, 693, 1988.
- Moore, T. E., Origins of magnetospheric plasma, U.S. National Report to International Union of Geodesy and Geophysics 1987-1990, Rev. Geophys., 1039-1048, 1991.
- Moore, T. E., C. R. Chappell, M. Lockwood, and J. H. Waite, Jr., Superthermal ion signatures of auroral acceleration processes, J. Geophys. Res., 90, 1611, 1985.
- Moore, T. E., M. Lockwood, M. O. Chandler, J. H. Waite, Jr., C. R. Chappell, A. Persoon, and M. Sugiura, Upwelling O⁺ ion source characteristics, *J. Geophys. Res.*, 91, 7019, 1986.
- Moore, T. E., D. L. Gallagher, J. L. Horwitz, and R. H. Comfort, MHD wave breaking in the outer plasmasphere, Geophys. Res. Lett., 14, 1007, 1987.
- Moore, T. E., M. O. Chandler, C. R. Chappell, C. J. Pollock, J. H. Waite, Jr., J. L. Horwitz, and C. R. Wilson, Features of terrestrial plasma transport, *Phil. Trans. R. Soc. Lond.*, A328, 235-254, 1989.
- Nagai, T., J. H. Waite, Jr., J. L. Green, C. R. Chappell, R. C. Olsen, and R. H. Comfort, First measurements of supersonic polar wind in the polar magnetosphere, *Geophys. Res. Lett.*, 11, 669-672, 1984.
- Newberry, I. T., R. H. Comfort, P. G. Richards, and C. R. Chappell, Thermal He⁺ in the plasmasphere: Comparison of observations with numerical calculations, *J. Geophys. Res.*, 94, 265, 1989.
- Olsen, R. C., D. L. Gallagher, C. R. Chappell, J. L. Green, and S. D. Shawhan, A potential control method for thermal plasma measurements on the DE-1 spacecraft, in *Proceedings of the 17th ESLAB symposium on spacecraft/plasma interactions*, A. Pedersen, D. Guyenne, and J. Hunt (eds), ESA Scientific & Technical Publications Branch, ESTEC: Noordwijk, ESA SP-198, p. 177, 1983
- Olsen, R. C., C. R. Chappell, D. L. Gallagher, J. L. Green, and D. A. Gurnett, The hidden ion population: Revisited, J. Geophys. Res., 90, 12,121, 1985.

- Olsen, R. C., Charging characteristics of Dynamics Explorer I Retarding Ion Mass Spectrometer and the consequence for core plasma measurements, Technical Report, NPS-61-89-014, Naval Postgraduate School, Monterey, California, 1989.
- Olsen, R. C., C. R. Chappell, J. L. Burch, Aperture plane potential control for thermal ion measurements, J. Geophys. Res., 91, 3117-3129, 1986.
- Olsen, R. C., S. D. Shawhan, D. L. Gallagher, J. L. Green, C. R. Chappell, and R. R. Anderson, Plasma observations at the Earth's magnetic equator, J. Geophys. Res., 92, 2385-2407, 1987.
- Pollock, C. J., C. R. Chappell, J. L. Horwitz, and J. D. Winningham, Two-spacecraft charged particle observations interpreted in terms of electrostatic potential drops along polar cap field lines, in *Modeling Magnetospheric Plasma Processes, Geophys. Mono. Series #62*, G. R. Wilson (ed.), Am. Geophys. Union, Washington, DC, p. 111, 1991.
- Roberts, W. T., Jr., J. L. Horwitz, R. H. Comfort, J. H. Waite, Jr., J. L. Green, and C. R. Chappell, Heavy ion enhancements in the outer plasmasphere, J. Geophys. Res., 92, 13,499-13,512, 1987.
- Samir, U., R. H. Comfort, C. R. Chappell, and N. H. Stone, Observations of low energy ions in the wake of a magnetospheric satellite, J. Geophys. Res., 91, 5725-5736, 1986.
- Singh, N., and J. L. Horwitz, Plasmasphere refilling: Recent observations and modeling, J. Geophys. Res., 97, 1049, 1992.
- Waite, J. H., Jr., T. Nagai, J. F. E. Johnson, C. R. Chappell, J. L. Burch, T. L. Killeen, P. B. Hays, G. R. Carignan, W. K. Peterson and E. G. Shelley, Escape of suprathermal O⁺ ions in the polar cap., J. Geophys. Res., 90, 1619, 1985.
- Waite, J. H., Jr., M. Lockwood, T. E. Moore, M. O. Chandler, J. L. Horwitz, and C. R. Chappell, Solar wind control of the geomagnetic mass spectrometer, in Solar Wind-Magnetosphere Coupling, edited by Y. Kamide and J. A. Slavin, 707-716, 1986.
- Zhang, X., R. H. Comfort, Z. E. Musielak, T. E. Moore, D. L. Gallagher, and J. L. Green, Propagation characteristics of Pc3 compressional waves generated at the dayside magnetopause, J. Geophys. Res., 98, 15,403, 1993.

II. DESCRIPTION OF THE RIMS SUMMARY SPECTROGRAMS

The summary spectrograms included in this volume consist of seven spin-angle versus time panels; one panel for each of the seven mass/charge settings, H⁺, He⁺, O⁺, N⁺, M/Z=2, O⁺⁺, and molecular ions. Noted at the top of each spectrogram is the date and time interval covered by the spectrogram, the instrument head, and indications of the RPA and aperture bias sort used. In this set, data were included regardless of RPA or aperture bias setting. Orbit parameters – geocentric altitude, McIlwain L-shell, magnetic local time, magnetic latitude, and invariant latitude – are given at 40-min intervals at the bottom of the page.

The panels are labeled with mass designations (i.e., L/H⁺ for low mass channel, ionized hydrogen). Please note, however, that the data plotted represent the response of that RIMS channel to a specific range of mass/charge settings.

The satellite ram direction is defined to be along the center of each panel, meaning the point at which the radial detector was viewing into the direction of motion of the spacecraft. The maximum (180°) and minimum (0°) magnetic pitch angles are indicated by the black dashed and dotted lines (nearly horizontal, for the most part), respectively, corresponding to closest aperture approach to the parallel and anti-parallel directions of the Earth's magnetic field.

The data arrays used to construct each panel consist of 120 time divisions and 32 spin angle divisions. Since each spectrogram covers an 8-hour period, including a

single 7.5-hour spacecraft orbital period, each angle/time bin represents a data average over 11.25° in spin angle and 4 minutes of accumulation time. That is, the countsper-accumulation periods (12 milliseconds), for all RPA and aperture bias settings, are averaged over the 4-min time resolution period for each 11.25° spin angle bin.

The counts-per-sample for a given spin angle-time bin is coded by vertical lines; one solid vertical line representing low counts (0 to 1 count/sample) and many closely-spaced vertical lines (approaching solid black) representing higher count rates (>5000 counts/sample). A dotted vertical line represents an angle/time bin for which sampling occurred, but no counts were registered. No vertical lines at all indicates that sampling for that ion was not performed. The squares arranged vertically to the left of the spin angle-time panels show this scale.

The counts-per-sample is proportional to the integral directional ion flux for the energy range 0 to 50 eV with approximate conversion ratios of counts to integral flux of 3.1×10^4 (particles/cm² s·ster)/(counts/sample) for H⁺, 1.9×10^4 (particles/cm² s·ster)/(counts/sample) for He⁺, and 4.4×10^4 (particles/cm² s·ster)/(counts/sample) for O⁺. These factors, which reflect the mass-dependent angular response, are based on pre-flight and in-flight calibration; the ratios are time-dependent due to on-orbit CEM degradation and are offered here only as a general approximation.

III. DE 1/RIMS 1981 DATA CATALOG

Each line in the listing that follows represents one RIMS operation cycle and lists operation cycle number, instrument on/off time (UT), and quality information. An explanation of each field follows.

Operation Cycle Number: Begins with first science mode cycle. An operation cycle begins with an instrument "on" command and ends with an instrument "off" command. More than one operation cycle may be executed during a single spacecraft orbit.

Date: The year and day of year is represented as (YEAR-1900) * 1000 + DAYNUMBER.

Time Interval: The start/stop time (UT) of the operation cycle (HHMM).

Archive Flag: Used by RIMS team to flag which data have been archived to optical disk. The numerical entry is the disk number on which the data reside. "nd" or "no" = no data or too little data to archive. Used also when the electrometer was operated with the channeltrons off. In this latter case, the "nd" entry is followed by a notation of "Electrometer only." "oo" means data were not received from GSFC.

Quality Information: Text to summarize data anomalies, data gaps, and data processing problems.

"Sunpulse" means that a response of the radial head detector to solar UV can be seen in spectrograms of the data.

DNA: followed by a universal time (UT), means that data were not available for the time listed. This entry


usually indicates data were collected on the spacecraft but did not survive to the telemetry end product.

LMCD: Low mass channel degraded. Recognizable as H⁺ counts that are lower than the He⁺ counts in the high

mass channel. Usually occurs when the spacecraft is in the plasmasphere.

BMD: Bad memory dump. When this is noted, the telemetry was in error or bits were incorrect in the RIMS memory. In either case, no data are obtained.

BEGIN LISTING	96 81300 1150-1244 01A
BEGIN LISTING 1 81280 09 52-1427 01A Sunpulse 2 81280 1233-0626 01A Sunpulse 3 81280 2323-0626 01A Sunpulse 4 81281 02323-0626 01A Sunpulse 5 81281 1305-1529 01A Sunpulse 6 81281 1305-1529 01A Sunpulse 6 81281 2018-0207 01A Sunpulse 6 81281 2018-0207 01A Sunpulse 7 81282 0949-1424 01A Sunpulse 8 81282 1625-1856 01A Sunpulse 8 81282 1625-1856 01A Sunpulse 1 81283 1923-0250 01A Sunpulse 1 81283 1923-0250 01A Sunpulse 1 81283 1923-0250 01A Sunpulse 1 81284 0942-100 co	98 81300 1835-2146 01A 99 81300 2327-0043 01A 100 81301 0132-0503 01A
4 81281 0646-1128 01A Sunpulse	101 81301 0615-0718 01A
5 81281 1305-1529 01A Sunpulse	102 81301 0818-1046 01A DNA:0845-1046
6 81281 2018-0207 01A Sunpulse	103 81301 1216-1417 01A
7 81282 0949-1424 01A Sunpulse	104 81301 1508-1609 01A
8 81282 1625-1856 01A	105 81301 1917-2100 01A
9 81282 230-0623 01A Sunpulse	106 81301 2200-0136 01A
10 81283 0643-1125 00	107 81302 0223-0407 01A
11 81283 1302-1526 01A Sunpulse	108 81302 0457-0757 01A
12 81283 1329-0250 01A Sunpulse	109 81302 0919-1050 01A
13 81284 0310-0845 01A	110 81302 1146-1240 01A
14 81284 0942-1200 oo	111 81302 1446-1743 01A
15 81284 1550-2247 oo	112 81302 1831-2142 01A
16 81284 2342-0612 01A Sunpulse	113 81302 2323-0039 01A
17 81285 0640-1122 01A Sunpulse	114 81303 0019-0039 nd Repeated entry
18 81285 1301-1523 01A	115 81303 0128-0459 01A
19 81285 1926-0247 01A Sunpulse	116 81303 0611-0714 01A
20 81286 0307-0842 01A Sunpulse	117 81303 0925-1030 01A
21 81286 0309-1157 01A Sunpulse	118 81303 1136-1821 00
22 81286 1620-2244 01A Sunpulse 23 81286 2339-0527 01A Sunpulse 24 81287 0637-1152 01A Sunpulse	120 81303 2315-0117 01A 121 81303 2315-0117 nd Repeated entry
26 81287 1927-0204 01A Sunpulse	123 81304 0449-0745 01A
27 81288 0303-0815 01A Sunpulse	124 81304 0831-1045 01A
28 81288 0335-1153 01A Sunpulse	125 81304 1142-1422 01A
29 81288 1421-2236 01A Sunpulse	126 81304 1533-1740 01A
30 81288 2340-0132 01A Sunpulse	127 81304 1834-0021 01A
31 81289 0300-0445 01A	128 81305 0213-0449 01A
32 81289 0634-0827 01A Sunpulse	129 81305 0608-0722 01A
33 81289 1111-1841 01A Sunpulse	130 81305 0812-1020 01A
34 81289 1926-2218 01A Sunpulse	131 81305 1133-1410 01A
35 81290 0307-0812 01A Sunpulse	132 81305 1506-1818 01A
36 81290 0939-1148 01A Sunpulse, recorder off 1018 UT	133 81305 2311-0113 01A
37 81290 1417-2232 01A Sunpulse	134 81306 0230-0347 01A
38 81290 2336-0128 01A Sunpulse 39 81291 0256-0525 01A Sunpulse 40 81291 0630-0823 01A Sunpulse	135 81306 0827-1041 01A DNA:0918-1023 136 81306 1138-1418 01A
42 81291 1922-2214 01A Sunpulse	139 81306 1830-0017 01A
42 81292 0303-0808 01A Sunpulse	140 81307 0210-0446 01A
43 81292 0902-1520 01A Sunpulse	141 81307 0525-0718 01A
45 81292 1540-1751 01A Sunpulse	142 81307 0808-1131 01A
46 81292 1851-2023 01A	143 81307 1237-1405 00
47 81292 2351-2023 01A Sunpulse	144 81307 1615-2048 01A
48 81293 0142-0509 01A Sunpulse	145 81307 2157-2339 01A
49 81293 0558-0733 01A Sunpulse	146 81308 0155-0354 01A
50 81293 0903-1056 01A Sunpulse	147 81308 0448-0740 01A random high counts
51 81293 1258-1424 01A Sunpulse	148 81308 0915-1112 01A
52 81293 1537-1818 01A Sunpulse	149 81308 1139-1232 01A
53 81293 1918-2115 01A Sunpulse	150 81308 1521-1733 01A
55 81294 0259-0400 01A Surpulse	152 81308 2334-0028 01A
55 81294 0858-1516 01A DNA:1056-1200	153 81309 0127-0427 01A
57 81294 1536-1747 01A Surpulse	154 81309 0521-0714 01A
58 81294 1847-2019 01A	155 81309 0804-1127 nd DNA:0804-1127
59 81294 2331-0505 01A	156 81309 1233-1401 01A
60 81295 0554-0729 01A	157 81309 1611-2044 01A
61 81295 0859-1052 01A sunpulse	158 81309 2153-2335 01A
62 81295 1254-1420 01A Sunpulse	159 81310 0151-0350 01A
63 81295 1533-1814 01A Sunpulse	160 81310 0444-0736 01A
64 81295 1914-2111 01A Sunpulse	161 81310 0911-1035 01A
65 81296 0158-0402 01A Sunpulse	162 81310 1135-1228 01A
66 81296 0502-0800 01A Sunpulse	163 81310 1517-1729 01A
67 81296 0931-1053 01A Sunpulse	164 81310 1826-2256 01A
68 81296 1153-1344 01A	165 81310 2333-0024 01A
69 81296 1536-1744 01A Sunpulse	166 81311 0142-0442 01A
70 81296 1844-2000 01A 71 81296 2230-0036 01A Sunpulse 72 81297 0136-0506 01A 73 81297 0619-0726 01A Sunpulse	168 81311 0814-1035 01A 169 81311 1206-1358 01A 170 81311 1847-2056 01A
74 81297 0841-1051 01A 75 81297 1248-1408 01A Sunpulse 76 81297 1517-1821 01A Sunpulse	171 81311 1847-2056 01A 171 81311 2200-0146 01A 172 81312 0249-0346 01A 173 81312 0451-0718 01A
77 81297 2005-2107 01A Sunpulse	174 81312 0910-1032 01A 175 81312 1156-1709 01A 176 81312 1901-2014 01A
81 812 98 0458-0803 01A	178 81312 2329-0020 01A
81 812 98 0927-1049 01A	178 81313 0139-0439 01A
82 812 98 1149-1340 01A	179 81313 0557-0708 01A
78 81297 2207-2350 01A 79 81298 0154-0358 01A Sunpulse 80 81298 0458-0803 01A 81 81298 0927-1049 01A 82 81298 149-1340 01A 83 81298 1532-1740 01A Sunpulse 84 81298 1840-1956 01A 85 81298 2226-0032 01A Sunpulse 86 81299 0132-0502 01A 87 81299 0615-0722 01A 88 81299 0837-1047 01A 89 81299 0837-1047 01A 89 81299 1824-1404 nd DNA:1244-1404	170 91311 1847-2056 01A 171 91311 2200-0146 01A 172 91312 0249-0346 01A 173 91312 0249-0346 01A 174 81312 0910-1032 01A 175 81312 1156-1709 01A 176 81312 1901-2014 01A 177 81312 2329-0020 01A 178 81313 0557-0708 01A 179 81313 0557-0708 01A 180 81313 0180-1031 01A 181 81313 1202-1354 01A 182 81313 1844-2053 01A 183 81313 1202-1354 01A 184 81314 0245-0342 00 185 81314 0447-0714 01A 186 81314 0147-0714 01A 187 81314 117-1705 01A 188 81314 1251-0515 01A Mode change 0026 and 0321 189 81315 0554-0703 01A 189 81315 0554-0703 01A 189 81315 0554-0703 01A 190 81315 0554-0703 01A 191 81315 1846-2048 01A
87 81299 0615-0722 01A	184 81314 0245-0342 00
88 81299 0837-1047 01A	185 81314 0447-0714 01A
89 81299 1244-1404 nd DNA-1244-1404	186 81314 0906-1100 01A
90 81299 1513-1720 01A	187 81314 1117-1705 01A
91 81299 1921-2104 01A DNA:1957-2050	188 81314 2251-0515 01A Mode change 0026 and 0321
92 81299 2204-0140 01A	189 81315 0554-0703 01A
93 81300 0226-0410 01A Sunpulse	190 81315 0800-1038 nd Not Archived-quality bad
88 81299 9837-1047 01A 89 81299 1244-1404 nd DNA:1244-1404 90 81299 1513-1720 01A 91 81299 1921-2104 01A DNA:1957-2050 92 81299 2204-0140 01A DNA:1957-2050 93 81300 0226-0410 01A Sunpulse 94 81300 0500-0800 01A 95 81300 0923-1054 01A	1 191 81315 1220-1351 01A 192 81315 1846-2048 01A



IV. DE1/RIMS 1981 INSTRUMENT MODES

The RIMS instrument, being programmable by spacecraft major and minor mode commands, operated in a variety of survey modes during the experiment lifetime. The operating sequence is controlled by an internal memory in the CEA which is programmed by ground command. The RIMS commonly performed two basic operational functions during the mission: (1) The RPA voltage is swept over a selected range for a given mass/charge and, (2) the RPA voltage is set to zero and a sweep is made over a selected mass/charge range. There are several variations of these modes, several specialized modes, and several combinations of sweeps, aperture biasing, and cycling patterns.

Users of the RIMS MAF data sets must be aware of the instrument mode setting for the segment of data being analyzed. The documentation data set, a listing of which accompanies this set of summary spectrograms, lists the RIMS minor mode B commands employed during the mission, keyed to the data's universal time. Brief information on the meaning of the mode mnemonics is given with that listing.

The following is a summary of the RIMS nominal operating modes:

IMSON, RPAON, APPON: "Turn-on" and initiation commands.

STOPIT: "Turn-off" command.

HIXXZ: A family of modes in which the instrument is measuring only one mass/charge pair and concentrating on either high mass/charge or angular resolution. The two unspecified locations in the mnemonic denoted by X will specify the heavier of the pair while the location denoted by Z refers to an RPA program.

XVXXZ: A family of survey modes in which the instrument splits its observing pattern between the H+/He+ mass/charge pair and one other mass/charge pair. The definition of the unspecified location is the same as in the previous case. The total cycle time is 16 sec.

SXYYZ: The alternate memory is used to observed the H+/He+ pair and the normal memory to observe another mass/charge pair. The XX denotes the heavier of the mass/charge pair under normal memory control. Each mass/charge pair is sampled for 8 sec. Total cycle time is 16 sec.

TXYYZ: A survey mode which is similar to the previous survey mode with the exception of the sequencing pattern. In this case, the H+/He+ setting is maintained for 8 sec with an RPA cycle each 0.25 sec. In the subsequent 8-sec half of the cycle time, the instrument toggles between the alternate mass/charge pairs each 0.25 sec. The total cycle time is 16 sec.

MXXYY: A mass/charge sweep mode starting at mass/charge XX and ending at mass/charge YY. The specified mass/charge numbers are those of the heavy mass channel. The lower mass channel is operating and measuring mass/charge species of 1/4 the high mass values. Note: The sweep may not be

continuous within the specified range if prior instrument experience has indicated that certain mass/charge numbers are unpopulated. The cycle time is 0.5 sec.

CXXYY: A mass/charge sweep mode with interspersed RPA analysis of the H⁺/He⁺ pair. The cycle time is 16 sec.

SHXXY: A special mode for high latitude studies. The three ions O⁺, H⁺, and He⁺ are measured with RPA scans for each. The cycle time is 1/2 sec.

SSZZZ: Special science modes designed after launch. Contact RIMS science team.

PLPHN: Plasma mode used to investigate spacecraft/plasma interactions. Geophysical data may be available, but will require special interpretation. N is the program number.

INSTR: Instrument check out, test, and calibration modes.

Note that the instrument may be operating with an additional potential applied to the entrance aperture. The start-up command APPON normally indicates the start of an aperture bias sequence although exceptions do exist within the data set. The following commands identify the applied bias voltage:

NAMMAP2X	-2 volts
NAMMAP4X	-4 volts
NAMMAP8X	-8 volts
PH20AAAA	-2 volts
PH20ADTD	-2 volts
PH40AAAA	-4 volts
PH40ADTD	-4 volts
PH80AAAA	-8 volts
PH80ADAA	-8 volts
PH80ADTD	-8 volts
PL80ADAA	-8 volts
HI04A02X	-2 volts
HI04A03X	-4 volts
HI04A04X	-8 volts
SH16M02X	-8 volts
SSNV801X	-8 volts
SSN8V01X	-8 volts
T816Q03X	-2 volts
T816Q04X	-4 volts
T816205X	-8 volts
SS04P01	-8 volts

The convention of naming modes as given above was generally but not rigorously followed, i.e., there may be times in which a mass/charge scan mode MXXYY alternated with measurement of H⁺/He⁺. Studies of the RIMS data set should be conducted only with a thorough understanding of the RIMS operational modes and the instrument response to these modes.

In the listing that follows, the year and daynumber is coded as (YEAR-1980) * 1000 + DAYNUMBER. The universal time of day is coded as HHMMSS.

BEG IN LISTING 1280 095200 IMSON 1280 095216 HJ04A01 1280 142700 STOPIT 1280 163401 HJ05ON 1280 185900 STOPIT 1280 232301 IMSON 1280 232301 IMSON 1280 232316 HJ04A01 1281 062600 STOPIT 1281 064600 IMSON 1281 1281 064600 IMSON 1281 1281 06400 STOPIT 1281 130500 IMSON 1281 12800 STOPIT 1281 130516 HJ04A01 1281 130516 HJ04A01 1281 12800 STOPIT 1281 201816 HJ04A01 1281 201816 HJ04A01 1281 201816 HJ04A01 1282 020700 STOPIT 1282 094916 HJ04A01 1282 162500 IMSON 1283 162500 STOPIT 1283 130200 IMSON 1283 162500 STOPIT 1283 130200 IMSON 1283 130200 IMSON 1283 130200 IMSON 1283 130200 IMSON 1283 130216 HJ04A01 1283 152600 STOPIT 1283 130200 IMSON 1283 130216 HJ04A01	1287 195400 HI04A01X 1287 195500 HI04A03X 1287 195500 HI04A01X 1287 195500 HI04A01X 1287 195500 HI04A01X 1287 195500 HI04A01X 1287 200000 HI04A01X 1287 200000 HI04A01X 1287 200000 HI04A01X 1287 200200 HI04A01X 1287 200300 HI04A01X 1287 200500 HI04A01X 1287 201000 HI04A01X 1287 202000 HI04A01X 1287 202500 HI04A01X	1287 213900 HI04A04X 1287 214400 HI04A01X 1287 214400 HI04A01X 1287 214200 HI04A01X 1287 221200 HI04A01X 1287 221300 HI04A01X 1287 221400 HI04A01X 1287 221400 HI04A01X 1287 221600 HI04A01X 1287 221600 HI04A01X 1287 221600 HI04A01X 1287 221900 HI04A01X 1287 221900 HI04A01X 1287 222900 HI04A01X 1287 22200 HI04A01X 1287 22300 HI04A01X	1287 235300 HI04A01X 1287 235500 HI04A01X 1287 235500 HI04A01X 1287 235500 HI04A01X 1287 235500 HI04A01X 1287 235500 HI04A01X 1287 235900 HI04A01X 1288 000000 HI04A02X 1288 000100 HI04A01X 1288 000100 HI04A01X 1288 000500 HI04A01X 1288 00100 HI04A01X 1288 00200 HI04A01X	1288 014200 HI04A01X 1288 014400 HI04A01X 1288 014500 HI04A01X 1288 014500 HI04A01X 1288 014700 HI04A01X 1288 014700 HI04A01X 1288 015000 HI04A01X 1288 015000 HI04A01X 1288 015000 HI04A01X 1288 015000 HI04A01X 1288 015000 HI04A01X 1288 015500 HI04A01X 1288 015500 HI04A01X 1288 015500 HI04A01X 1288 015500 HI04A01X 1288 015500 HI04A01X 1288 015500 HI04A01X 1288 015700 HI04A01X 1288 015900 HI04A01X 1288 015900 HI04A01X 1288 015900 HI04A01X 1288 015900 HI04A01X 1288 020100 HI04A01X 1288 020100 HI04A01X 1288 020100 HI04A01X 1288 020100 HI04A01X 1288 020100 HI04A01X 1288 020100 HI04A01X 1288 030316 HI04A01 1288 030316 HI04A01 1288 030316 HI04A01 1288 035500 IMSON 1288 142100 IMSON 1288 142100 IMSON 1288 142106 HI04A01 1288 142106 HI04A01 1288 142106 HI04A01
1284 025000 STOPIT 1284 031000 IMSON 1284 031016 HI04A01 1284 084500 STOPIT 1284 094200 IMSON 1284 129000 STOPIT 1284 125000 IMSON 1284 155016 HI04A01 1284 155016 HI04A01 1284 125000 IMSON 1284 224700 STOPIT 1284 234200 IMSON 1284 234216 HI04A01 1285 061200 STOPIT 1285 064000 IMSON 1285 13200 STOPIT 1286 030716 HI04A01 1286 030716 HI04A01 1286 030716 HI04A01 1286 0393900 IMSON 1286 152000 STOPIT 1286 093916 HI04A01 1286 162000 IMSON 1286 162000 IMSON 1286 162000 IMSON 1286 162000 IMSON 1286 162016 HI04A01 1286 128200 STOPIT 1286 2233916 HI04A01 1286 128200 STOPIT 1286 2233916 HI04A01 1286 233916 HI04A01 1286 233916 HI04A01 1286 233916 HI04A01	1287 203100 H104A01X 1287 203200 H104A01X 1287 203300 H104A01X 1287 203300 H104A01X 1287 203500 H104A01X 1287 203500 H104A01X 1287 203500 H104A01X 1287 203600 H104A01X 1287 203600 H104A01X 1287 203600 H104A01X 1287 203600 H104A01X 1287 204000 H104A01X 1287 204000 H104A01X 1287 204400 H104A01X 1287 204400 H104A01X 1287 204500 H104A01X 1287 204500 H104A01X 1287 204500 H104A01X 1287 204500 H104A01X 1287 205000 H104A01X 1287 205000 H104A01X 1287 205000 H104A01X 1287 205000 H104A01X 1287 205500 H104A01X 1287 210500 H104A01X 1287 210500 H104A01X 1287 210500 H104A01X 1287 210500 H104A01X 1287 210000 H104A01X 1287 211000 H104A01X 1287 2110	1287 224500 HI04A01X 1287 224700 HI04A01X 1287 224700 HI04A01X 1287 224900 HI04A01X 1287 225900 HI04A03X 1287 225100 HI04A01X 1287 225100 HI04A01X 1287 225300 HI04A01X 1287 225300 HI04A01X 1287 225500 HI04A01X 1287 225500 HI04A01X 1287 225600 HI04A01X 1287 22500 HI04A01X 1287 22500 HI04A01X 1287 22500 HI04A01X 1287 230000 HI04A01X 1287 230000 HI04A01X 1287 230000 HI04A01X 1287 230000 HI04A01X 1287 230000 HI04A01X 1287 230500 HI04A01X 1287 231000 HI04A01X 1287 231000 HI04A01X 1287 231000 HI04A01X 1287 231000 HI04A01X 1287 231000 HI04A01X 1287 231000 HI04A01X 1287 231500 HI04A01X	1288 00 3000 H104A02X 1288 00 3100 H104A01X 1288 00 3200 H104A01X 1288 00 3300 H104A01X 1288 00 3500 H104A01X 1288 00 3500 H104A01X 1288 00 3500 H104A01X 1288 00 3600 H104A01X 1288 00 3600 H104A01X 1288 00 3800 H104A01X 1288 00 3900 H104A01X 1288 00 4000 H104A01X 1288 00 4500 H104A01X 1288 00 5000 H104A01X 1288 01 5000 H104A01X	1288 234016 HI04A01 1289 030000 STOPIT 1289 030000 IMSON 1289 030016 HI04A01 1289 044500 STOPIT 1289 063400 IMSON 1289 063416 HI04A01 1289 082700 STOPIT 1289 111100 IMSON 1289 111101 IMSON 1289 111101 IMSON 1289 121600 STOPIT 1299 12600 IMSON 1289 12616 HI04A01 1289 1292160 STOPIT 1290 030716 HI04A01 1290 030716 HI04A01 1290 030716 HI04A01 1290 030716 HI04A01 1290 148700 STOPIT 1290 093900 IMSON 1290 030716 HI04A01 1290 141700 IMSON 1290 141700 IMSON 1290 141700 IMSON 1290 141700 IMSON 1290 123600 STOPIT 1290 123600 IMSON 1291 025616 HI04A01 1291 063000 IMSON 1291 063000 IMSON 1291 063016 HI04A01 1291 1063016 HI04A01

1293 00 4200 STOPIT 1293 01 4200 IMSON 1293 01 4216 T816E00A 1293 01 4224 T816E00B 1293 01 4224 T816E00B 1293 01 4222 T816E00B 1293 05 5816 T816E00C 1293 05 5816 T816E00C 1293 05 5816 T816E00C 1293 05 5828 T816E00C 1293 05 5828 T816E00C 1293 05 5828 T816E00C 1293 07 3300 STOPIT 1293 09 0300 IMSON 1293 09 0316 T816E00B 1293 09 0316 T816E00C 1293 09 0316 T816E00C 1293 09 0316 T816E00C 1293 09 0316 T816E00C 1293 12 5816 T816E00C 1293 12 5817 T816E00C 1293 12 5817 T816E00C 1293 15 3720 T816E00C 1293 18 18800 STOPIT 1293 19 1800 IMSON 1293 19 1800 IMSON	1295 181400 STOPIT 1295 191410 IMSON 1295 191416 T816E00A 1295 191424 T816E00B 1295 191424 T816E00B 1295 191422 T816E00C 1295 191422 T816E00C 1295 191423 T816E00C 1295 191423 T816E00C 1296 015816 T816E0C 1296 015816 T816E0C 1296 015824 T816E0C 1296 015822 T816E0C 1296 015822 T816E0C 1296 050200 IMSON 1296 050200 IMSON 1296 050220 T816E0C 1296 050220 T816E0C 1296 050220 T816E0C 1296 050220 T816EC 1296 093120 T816EC 1296 15320 T816EC 1296 15320 T816EC 1296 115320 T816E 1296 153600 TMSON 1296 153600 TMSON 1296 153600 TMSON	1298 015420 T816E00A 1298 015424 T816E00B 1298 015424 T816E00C 1298 015422 T816E00D 1298 035800 STOPIT 1298 045801 IMSON 1298 045816 T816E00A 1298 045824 T816E00B 1298 045824 T816E00D 1298 045824 T816E00D 1298 045824 T816E00D 1298 045824 T816E00B 1298 092700 IMSON 1298 092700 IMSON 1298 092704 T816E00B 1298 104900 STOPIT 1298 104900 STOPIT 1298 114916 T816E00B 1298 114924 T816E00B 1298 114924 T816E00B 1298 114926 T816E00C 1298 134000 STOPIT 1298 134000 STOPIT 1298 134000 STOPIT 1298 153216 T816E00C 1298 134000 STOPIT 1298 153200 IMSON 1298 153216 T816E00C 1298 153216 T816E00B 1298 153224 T816E00C 1298 153224 T816E00D 1298 153225 T816E00D 1298 153224 T816E00B 1298 153224 T816E00C 1298 153225 T816E00C 1298 153227 T816E00C 1298 153227 T816E00C 1298 153227 T816E00C 1298 184001 STOPIT 1298 184002 STOPIT	1301 013200 IMSON 1301 013216 T816E03 1301 050300 STOPIT 1301 061500 IMSON 1301 071800 STOPIT 1301 071800 STOPIT 1301 081801 IMSON 1301 081801 IMSON 1301 104600 STOPIT 1301 121600 IMSON 1301 121616 T816E03 1301 121616 T816E03 1301 121616 T816E03 1301 150810 IMSON 1301 150810 IMSON 1301 150816 T816E03 1301 160900 STOPIT 1301 191700 IMSON 1301 120000 STOPIT 1301 220001 IMSON 1301 220016 T816E03 1302 022300 IMSON 1302 022301 IMSON 1302 022301 IMSON 1302 022301 IMSON 1302 022301 IMSON 1302 025301 T816E03 1302 045716 T816E03 1302 045716 T816E03 1302 045716 T816E03 1302 091916 T816E03 1302 091916 IMSON 1302 091916 T816E03 1302 045716 T816E03 1302 045716 T816E03 1302 045716 T816E03 1302 045716 T816E03 1302 144601 IMSON 1302 144616 T816E03	1306 141800 STOPIT 1306 152910 IMSON 1306 152916 T816E03 1306 173600 STOPIT 1306 183000 IMSON 1306 183010 IMSON 1306 183016 T816E03 1307 021001 IMSON 1307 021016 T816E03 1307 024006 STOPIT 1307 052516 T816E03 1307 052516 T816E03 1307 071800 STOPIT 1307 052516 T816E03 1307 104800 IMSON 1307 123700 IMSON 1307 123700 IMSON 1307 123700 IMSON 1307 123716 T816E03 1307 140500 STOPIT 1307 161516 T816E03 1307 140500 STOPIT 1307 161501 IMSON 1307 161516 T816E03 1307 213716 T816E03 1307 213716 T816E03 1307 233900 STOPIT 1308 014800 STOPIT 1308 015516 T816E03 1308 035400 STOPIT 1308 015516 T816E03 1308 044816 T816E03 1308 044810 IMSON 1308 044816 T816E03 1308 044816 T816E03 1308 113916 T816E03
1293 191824 7816E00B 1293 191828 7816E00C 1293 211500 STOPIT 1294 025900 IMSON 1294 025916 7816E00A 1294 025924 7816E00B 1294 025924 7816E00B 1294 025928 7816E00B 1294 025928 7816E00B 1294 025928 7816E00C 1294 04060D STOPIT 1294 050000 IMSON 1294 085000 IMSON 1294 085820 7816E00A 1294 085820 7816E00B 1294 085826 7816E00B 1294 085826 7816E00B 1294 085826 7816E00B 1294 153660 IMSON 1294 153660 IMSON 1294 153660 T816E00B 1294 153628 T816E00C 1294 153628 T816E00D 1294 153628 T816E00D 1294 184720 T816E00B 1294 184730 T816E00B 1295 055426 T816E00B 1295 055426 T816E00B 1295 055426 T816E00B 1295 055426 T816E00B 1295 055427 T816E00B 1295 055428 T816E00B 1295 085920 T816E00B 1295 085920 T816E00B 1295 085920 T816E00B 1295 085928 T816E00C 1295 085920 T816E00B	1296 153624 T816E00B 1296 153638 T816E00C 1296 174400 STOPIT 1296 184400 STOPIT 1296 184401 T816E00N 1296 184401 T816E00N 1296 184424 T816E00B 1296 184424 T816E00B 1296 184424 T816E00B 1296 184424 T816E00B 1296 200000 STOPIT 1296 223001 T816E00N 1296 223004 T816E00B 1296 223024 T816E00B 1296 223024 T816E00B 1297 03600 STOPIT 1297 013601 T816E00N 1297 013601 T816E00N 1297 013601 T816E00N 1297 013601 T816E00N 1297 013602 T816E00D 1297 013603 T816E00D 1297 013604 T816E00B 1297 013604 T816E00B 1297 013607 T816E00B 1297 061916 T816E00N 1297 061924 T816E00D 1297 061924 T816E00D 1297 084120 T816E00D 1297 124820 T816E00D 1297 124820 T816E00D 1297 124820 T816E00D 1297 124828 T816E00D 1297 151724 T816E00N 1297 151724 T816E00N 1297 151724 T816E00N	1298 195600 STOPIT 1298 222601 STOPIT 1298 222601 T816E00X 1298 222626 T816E00A 1298 222626 T816E00B 1298 222628 T816E00D 1299 222628 T816E00D 1299 003200 STOPIT 1299 013201 IMSON 1299 013216 T816E00X 1299 013216 T816E00X 1299 013228 T816E00D 1299 013228 T816E00D 1299 013228 T816E00D 1299 013228 T816E00D 1299 061501 IMSON 1299 061516 T816E00X 1299 061516 T816E00X 1299 061524 T816E00D 1299 061528 T816E00D 1299 061528 T816E00D 1299 061528 T816E00D 1299 061528 T816E00D 1299 083701 T816E00X 1299 083701 T816E00X 1299 083702 T816E00D 1299 083702 T816E00D 1299 083704 T816E00X 1299 083704 T816E00X 1299 083704 T816E00X 1299 083705 T816E00D 1299 124401 MSON 1299 124401 T816E00X 1299 124402 T816E00D 1299 124401 T816E00X 1299 124402 T816E00D 1299 124401 T816E00X 1299 124402 T816E00D 1299 124402 T816E00D 1299 124401 T816E00X 1299 151310 T816E00X	1302 234200 STOPIT 1302 232300 IMSON 1302 232316 T816E03 1303 003900 STOPIT 1303 012801 IMSON 1303 012816 T816E03 1303 045900 STOPIT 1303 061110 IMSON 1303 061110 IMSON 1303 071400 STOPIT 1303 071400 STOPIT 1303 1303 073000 STOPIT 1303 13600 IMSON 1303 13616 T816E03 1303 13616 T816E03 1303 195716 T816E03 1303 195716 T816E03 1303 195716 T816E03 1304 011700 STOPIT 1303 231516 T816E03 1304 023400 IMSON 1304 023416 T816E03 1304 023400 IMSON 1304 023400 IMSON 1304 034500 STOPIT 1304 044900 IMSON 1304 114216 T816E03 1304 114210 IMSON 1304 114216 T816E03 1304 114200 STOPIT 1304 114200 IMSON 1304 114216 T816E03 1304 114210 IMSON 1304 114216 T816E03 1304 114210 IMSON 1304 114216 T816E03 1304 114210 IMSON 1304 114216 T816E03 1305 18316 T816E03 1305 18160 STOPIT 1306 STOPIT 1307 STOPIT 1308 STOPIT 1309 STOPIT	1308 173300 STOPIT 1308 183000 IMSON 1308 183010 IMSON 1308 233400 IMSON 1308 233401 IMSON 1308 233401 IMSON 1308 233401 IMSON 1309 02800 STOPIT 1309 012700 IMSON 1309 012700 IMSON 1309 052110 IMSON 1309 123316 T816E03 1309 12700 STOPIT 1309 080401 IMSON 1309 123301 IMSON 1309 123316 T816E03 1309 123301 IMSON 1309 161110 IMSON 1309 161110 IMSON 1309 161110 IMSON 1309 161116 T816E03 1309 23500 STOPIT 1300 23500 IMSON 1309 15316 T816E03 1310 03500 STOPIT 1310 015101 IMSON 1310 03500 STOPIT 1310 13500 IMSON 1310 13516 T816E03 1310 13500 STOPIT 1310 13500 IMSON 1310 13516 T816E03 1310 13500 STOPIT 1310 13500 IMSON 1310 13516 T816E03 1311 172900 STOPIT 1310 113501 IMSON 1310 13516 T816E03 1311 120600 IMSON 1311 182600 IMSON 1310 182600 IMSON 1310 182600 IMSON 1311 182600 IMSON 1311 193300 STOPIT 1311 194201 IMSON
1295 125400 IMSON 1295 125416 T816E00X 1295 125420 T816E00A 1295 125424 T816E00B 1295 125428 T816E00C 1295 125428 T816E00C 1295 125432 T816E00C 1295 153300 IMSON 1295 153316 T816E00X 1295 153324 T816E00B 1295 153328 T816E00D	1297 151732 TR16E00D 1297 200516 TR16E00X 1297 200516 TR16E00X 1297 200520 TR16E00X 1297 200524 TR16E00X 1297 200528 TR16E00D 1297 200532 TR16E00D 1297 210700 STOPIT 1297 220716 TR16E00X 1297 220724 TR16E00X 1297 220724 TR16E00D 1297 220728 TR16E00D 1297 220728 TR16E00C 1297 220732 TR16E00D 1297 220732 TR16E00D 1297 220732 TR16E00D 1297 235000 STOPIT 1298 015416 TR16E00X	1300 092316 T816E03 1300 105400 STOPIT 1300 115000 IMSON 1300 124400 STOPIT 1300 150000 IMSON 1300 150000 IMSON 1300 150000 IMSON 1300 150010 STOPIT 1300 183500 IMSON 1300 183516 T816E03 1300 214600 STOPIT 1300 232700 IMSON 1300 232716 T816E03	1305 231116 T816E03 1306 011300 STOPIT 1306 023000 IMSON 1306 023010 T816E03 1306 034700 STOPIT 1306 044500 IMSON 1306 044516 T816E03 1306 074100 STOPIT 1306 082716 T816E03 1306 104100 STOPIT 1306 113800 IMSON 1306 113800 IMSON 1306 113800 IMSON	1311 120616 T816E03 1311 185800 STOPIT 1311 184700 IMSON 1311 184716 T816E03 1311 205600 STOPIT 1311 220016 T816E03 1312 20016 T816E03 1312 014600 STOPIT 1312 024900 IMSON 1312 024901 IMSON 1312 024916 T816E03 1312 034600 STOPIT 1312 045100 IMSON 1312 045100 IMSON

13 13 15 15 15 15 15 15	l	l	1	1	1
1312 10 2200 STORIT 1319 0 32200 STORIT 1326 23200 STORIT 1315 0 44800 STORIT 1319 0 54010 F081620 1	1312 091000 IMSON	1319 010900 IMSON	1326 213000 IMSON	1335 005300 IMSON	1343 095616 T816E03
1112 115600 IMSON 1319 504000 TMSON 1327 003100 TMSON 1335 505160 TMSON 1343 204416 TRIBEON 1319 1319 504000 TMSON 1319 TMSON 1		1319 010916 T816E03	1326 213016 T816E03	1335 005316 T816E03	1343 125500 STOPIT
1311 17 17 17 17 17 18 18	1312 115600 IMSON	1319 054000 IMSON	1327 003300 IMSON	1335 051600 IMSON	1343 204416 T816E03
1312 290146 TB16E03	1312 170900 STOPIT	1319 064300 STOPIT	1327 034700 STOPIT	1335 062200 STOPIT	1 1344 032300 T816E03
1312 201400 STOPLT			1327 051500 IMSON 1327 051516 T816E03	1335 094100 IMSON 1335 094116 T816E03	1344 040600 STOPIT
1312 232216 F816E03		1319 133400 STOPIT	1327 062100 STOPIT	1335 125400 STOPIT	1344 075316 T816E03
1313 013900 MSON 1320 043400 MSON 1327 173900 MSON 1335 205160 MSON 1344 160660 STOPIT 1313 013916 MSON 1320 043416 MSON 1327 17400 MSON 1335 205160 MSON 1344 120100 MSON 1313 053700 MSON 1320 04360 MSON 1327 17400 MSON 1335 205160 MSON 1344 120100 MSON 1313 053700 MSON 1320 04360 MSON 1327 17400 MSON 1336 020510 MSON 1344 120100 MSON 1313 053700 MSON 1320 04360 MSON 1327 17400 MSON 1336 020510 MSON 1344 120100 MSON 1331 08400 MSON 1320 17400 MSON 1320	1312 232916 T816E03	1319 192816 T816E03	1327 080616 T816E03	1335 191316 T816E03	1344 122600 IMSON
1313 043900 STOPIT 1320 054900 STOPIT 1327 201100 STOPIT 1336 2255100 STOPIT 1344 223010 STOPIT 1313 055700 MSON 1320 025500 MSON 1336 020500 MSON 1346 02000 STOPIT 1318 055700 MSON 1320 025800 MSON 1320 025800 MSON 1336 020510 PMBON 1346 020500 MSON 1346 020500 M	1313 013900 IMSON	1320 043400 IMSON	1327 173900 IMSON	1335 205100 IMSON	1344 160600 STOPIT
1313 055700 HSON 1320 085500 HSON 1327 14000 HSON 1366 020500 HSON 1344 230000 TSOPTT 1313 055701 TSIEGED 1357 035816 TSIEGED 1327 14000 HSON 1316 020510 TSIEGED 1345 003100 HSON 1313 03100 HSON 1314 03100 HSON 1		1320 043416 T816E03 1320 054900 STOPIT			1344 223100 IMSON 1344 223116 T816E03
1313 070800 STOPIT	1313 055700 IMSON	1320 085500 IMSON	1327 214000 IMSON	1336 020500 IMSON	1344 230000 STOPIT
1313 061016 TB16E03 1320 112916 TB16E03 1326 071900 STOPLT STO	1313 070800 STOPIT	1320 104800 STOPIT	1328 002600 STOPIT	1336 025700 STOPIT	1345 003316 T816E03
1313 103100 STOPLT	1313 081016 T816E03	1320 112916 T816E03	1328 021916 T816E03	1336 074416 T816E03	1345 040300 STOPIT
1313 120216 T816E03 1320 225916 T816E03 1328 041416 T816E03 1336 103116 T816E03 1345 103500 IMSON 1313 104400 STOPLT 1321 000400 STOPLT 1328 10500 IMSON 1328 150300 IMSON 1336 114500 IMSON 1346 123400 STOPLT 1321 001500 IMSON 1328 150300 IMSON 1336 114500 IMSON 1346 123400 STOPLT 1321 031800 STOPLT 1322 03		1320 225900 IMSON	1328 030000 STOPIT 1328 041400 IMSON	1336 094300 STOPIT 1336 103100 IMSON	1345 045916 T816E03
1313 184400 TMSON		1320 225916 T816E03	1328 041416 T816E03	1336 103116 T816E03	1345 103500 IMSON
1313 205300 STOPIT 1321 031800 STOPIT 1328 165300 STOPIT 1336 162400 STOPIT 1345 135716 FB16E03 1313 215616 FB16E03 1321 053616 TB16E03 1328 212600 IMSON 1336 201100 IMSON 1345 155400 STOPIT 1346 16200 STOPIT 1347 04400 STOPIT 1347 04400 STOPIT 1348 05060 STOPIT 1349 05060 ST	1313 184400 IMSON	1321 010500 IMSON	1328 150300 IMSON	1336 144500 IMSON	1345 123400 STOPIT
1314 014200 STOPIT 1321 053616 TB16E03 1328 212616 TB16E03 1346 203090 IMSON 1314 014200 STOPIT 1321 063900 STOPIT 1322 8234800 STOPIT 1336 233200 STOPIT 1345 2039916 TB16E03 1314 024501 IMSON 1321 080300 IMSON 1329 002900 IMSON 1337 010300 IMSON 1346 022200 STOPIT 1314 024501 IMSON 1321 080300 IMSON 1329 002906 TB16E03 1337 010306 TB16E03 1346 066500 IMSON 1340 044700 IMSON 1321 04000 IMSON 1329 002906 TB16E03 1337 010316 TB16E03 1346 066500 IMSON 1340 044700 IMSON 1321 04000 IMSON 1329 002900 IMSON 1320 02900	1313 205300 STOPIT	1321 031800 STOPIT	1328 165300 STOPIT	1336 162400 STOPIT	1345 135716 T816E03
1314 014200 STOPIT 1321 063900 STOPIT 1328 234800 STOPIT 1336 233200 STOPIT 1345 203916 T816E03 1324 0024516 T816E03 1327 00290 IMSON 1337 010300 IMSON 1346 0622200 STOPIT 1314 024516 T816E03 1327 04300 STOPIT 1327 044100 STOPIT 1346 060516 T816E03 1329 002916 T816E03 1337 010316 T816E03 1346 060516 T816E03 1346 044701 IMSON 1324 02400 IMSON 1329 024300 STOPIT 1337 044100 STOPIT 1346 060516 T816E03 1329 034100 STOPIT 1346 044701 IMSON 1324 044701 IMSON	1313 215616 T816E03	1321 053616 T816E03	1328 212616 T816E03	1336 201116 T816E03	1345 203900 IMSON
1314 024516 T816E03 1321 080316 T816E03 1329 002916 T816E03 1337 04010 STOP1T 1346 060516 T816E03 1314 044700 STOP1T 1321 133000 STOP1T 1329 034300 STOP1T 1337 044100 STOP1T 1346 060516 T816E03 1314 044716 T816E03 1321 192400 IMSON 1329 051100 IMSON 1337 090600 IMSON 1346 090600 STOP1T 1346 044716 T816E03 1321 192400 IMSON 1329 051100 IMSON 1337 090600 IMSON 1346 090600 STOP1T 1346 044716 T816E03 1321 192416 T816E03 1329 051100 IMSON 1337 090600 IMSON 1346 102200 IMSON 1324 05100 IMSON 1329 080316 T816E03 1337 090610 IMSON 1346 102200 IMSON 1324 05100 IMSON 1329 080316 T816E03 1337 190616 T816E03 1346 102200 IMSON 1347 03200 IMSON 1347 03200 IMSON 1347 03200 IMSON 1346 102200 IMSON 1347 03200 IMSON 1347 04500 IMSON 1347 04500 IMSON 1348 04200 IMSON 1347 04500 IMSON 1348 04200 IMSON 1347 04500 IMSON 1347 04500 IMSON 1348 04200 IMSON 1347 04500 IMSON 1347 04500 IMSON 1348 04200 IMSON 1348 04200 IMSON 1347 04500 IMSON 1348 04200 IMSON 1349 04200 IMSON 1348	1314 014200 STOPIT 1314 024500 IMSON		1328 234800 STOPIT	1336 233200 STOPIT 1337 010300 IMSON	1345 203916 T816E03 1346 022200 STOPIT
1314 044706 TMSON 1321 192400 IMSON 1329 051100 IMSON 1337 090600 IMSON 1346 090600 STOPIT 1312 020000 STOPIT 1321 020000 STOPIT 1329 061700 STOPIT 1337 130600 STOPIT 1346 122200 IMSON 1314 090616 TR16E03 1321 215400 IMSON 1329 080300 IMSON 1337 130600 STOPIT 1346 122200 IMSON 1324 090616 TR16E03 1321 215416 TR16E03 1329 080316 TR16E03 1337 130600 STOPIT 1346 162200 STOPIT 1322 032000 STOPIT 1329 081200 STOPIT 1337 130600 STOPIT 1346 162200 STOPIT 1329 131200 STOPIT 1329 131200 STOPIT 1337 130600 STOPIT 1340 090616 TR16E03 1324 090616 TR16E03 1327 09060 TR16E03 1327 090616 TR16E03 1327 09060 TR16E03 132	1314 024516 T816E03	1321 080316 T816E03	1329 002916 T816E03	1337 010316 T816E03	1346 060500 IMSON
1314 071400 STOPIT 1321 202000 STOPIT 1329 061700 STOPIT 1337 130600 STOPIT 1346 122216 T816E03 1347 090616 T816E03 1321 215406 T816E03 1329 080300 IMSON 1337 190601 IMSON 1346 162020 STOPIT 1341 11700 IMSON 1322 003200 STOPIT 1329 131200 STOPIT 1337 204500 IMSON 1346 222700 IMSON 1341 11700 IMSON 1322 003200 IMSON 1329 192300 IMSON 1337 204500 IMSON 1346 222701 F816E03 1341 11706 IMSON 1322 003300 IMSON 1329 192300 IMSON 1337 204500 IMSON 1346 222701 F816E03 1347 002900 IMSON 1341 1170500 STOPIT 1322 0031100 STOPIT 1329 200400 STOPIT 1338 002000 STOPIT 1347 002910 IMSON 1348 225110 IMSON 1322 074500 IMSON 1329 202400 IMSON 1338 002100 IMSON 1347 002910 IMSON 1315 002600 CMS101 1322 101100 STOPIT 1330 003000 STOPIT 1338 002100 IMSON 1347 035900 STOPIT 1315 002600 CMS101 1322 101100 IMSON 1330 003300 IMSON 1338 023800 STOPIT 1347 045510 IMSON 1315 002600 CMS101 1322 101700 IMSON 1330 003300 IMSON 1338 0023800 STOPIT 1347 045510 IMSON 1315 00300 STOPIT 1322 101700 IMSON 1330 003310 IMSON 1338 0023800 STOPIT 1347 045510 IMSON 1315 0055400 IMSON 1322 131000 IMSON 1330 005500 STOPIT 1338 002300 STOPIT 1347 045510 IMSON 1315 0055400 IMSON 1322 131000 IMSON 1330 0055500 STOPIT 1338 002000 STOPIT 1347 013216 T816E03 1350 0055400 IMSON 1322 100540 IMSON 1330 0055500 STOPIT 1338 002000 STOPIT 1347 103216 T816E03 1350 0055400 IMSON 1322 100540 IMSON 1330 0055500 STOPIT 1338 002000 STOPIT 1347 103216 T816E03 1350 0056400 IMSON 1322 100540 IMSON 1330 0055500 STOPIT 1338 002000 STOPIT 1347 103216 T816E03 1350 0056400 IMSON 1322 1056400 STOPIT 1330 0055500 STOPIT 1330 0056400 IMSON 1347 103216 T816E03 1350 0056400 IMSON 1322 1056400 STOPIT 1330 0056500 STOPIT 1334 103000 IMSON 1347 103216 T816E03 1350 0056400 IMSON 1322 1056400 STOPIT 1322 1056400 STOPIT 1330 0056400 IMSON 1330 0056400 IMSON 1330 0056400 IMSON 1330 0056400 IMSON 13	1314 044700 IMSON	1321 192400 IMSON	1329 051100 IMSON	1337 090600 IMSON	1346 090600 STOPIT
1314 110000 STOPIT 1322 003200 STOPIT 1329 131200 STOPIT 1337 20400 STOPIT 1346 225600 STOPIT 1314 111716 T816E03 1322 023016 T816E03 1329 132316 T816E03 1337 204516 T816E03 1347 002900 IMSON 1342 225100 IMSON 1322 03100 STOPIT 1329 13210 STOPIT 1338 002000 STOPIT 1347 002910 IMSON 1342 225100 IMSON 1322 03100 IMSON 1322 03100 IMSON 1328 032000 STOPIT 1347 002910 IMSON 1342 22510 IMSON 1322 03100 IMSON 1329 212400 IMSON 1338 00200 STOPIT 1347 045500 IMSON 1315 002600 CMMSL01 1322 101100 STOPIT 1330 004000 STOPIT 1338 002000 STOPIT 1347 045516 T816E03 1315 032100 CSO4L01 1322 110716 T816E03 1330 035300 IMSON 1338 032700 IMSON 1347 054100 STOPIT 1315 032100 CSO4L01 1322 110716 T816E03 1330 055500 STOPIT 1338 032000 STOPIT 1338 03200 STOPIT 1338 03200 STOPIT 1338 03330 IMSON 1338 03200 STOPIT 1338 03330 IMSON 1338 033300 IMSON 13	1314 071400 STOPIT	1321 202000 STOPIT	1329 061700 STOPIT	1337 130600 STOPIT	1346 122216 T816E03
1314 110000 STOPIT 1322 003200 STOPIT 1329 131200 STOPIT 1337 20400 STOPIT 1346 225600 STOPIT 1314 111716 T816E03 1322 023016 T816E03 1329 132316 T816E03 1337 204516 T816E03 1347 002900 IMSON 1342 225100 IMSON 1322 03100 STOPIT 1329 13210 STOPIT 1338 002000 STOPIT 1347 002910 IMSON 1342 225100 IMSON 1322 03100 IMSON 1322 03100 IMSON 1328 032000 STOPIT 1347 002910 IMSON 1342 22510 IMSON 1322 03100 IMSON 1329 212400 IMSON 1338 00200 STOPIT 1347 045500 IMSON 1315 002600 CMMSL01 1322 101100 STOPIT 1330 004000 STOPIT 1338 002000 STOPIT 1347 045516 T816E03 1315 032100 CSO4L01 1322 110716 T816E03 1330 035300 IMSON 1338 032700 IMSON 1347 054100 STOPIT 1315 032100 CSO4L01 1322 110716 T816E03 1330 055500 STOPIT 1338 032000 STOPIT 1338 03200 STOPIT 1338 03200 STOPIT 1338 03330 IMSON 1338 03200 STOPIT 1338 03330 IMSON 1338 033300 IMSON 13		1321 215400 IMSON 1321 215416 T816E03	1329 080300 IMSON 1329 080316 T816E03	1337 190600 IMSON 1337 190616 T816E03	1346 222700 TMSON
1314 111/16 T816E03 1322 023016 T816E03 1329 202400 STOPIT 1338 00200 STOPIT 1347 002901 T816E03 1314 225100 IMSON 1322 074500 IMSON 1329 202400 IMSON 1338 002100 IMSON 1347 002900 T80PIT 1338 002600 CMMSLO1 1322 107450 T816E03 1329 212400 IMSON 1338 002100 IMSON 1347 002900 T80PIT 1315 002600 CMMSLO1 1322 107100 STOPIT 1330 004000 STOPIT 1338 002116 T816E03 1347 045500 IMSON 1315 002600 CMSLO1 1322 110700 IMSON 1330 053300 IMSON 1338 002700 IMSON 1347 054516 T816E03 1347 045516 T816E03 1348 04500 IMSON 1348 04500 IMSON 1348 04500 IMSON 1349 04500 IMSON 1348 0450	1314 110000 STOPIT	1322 003200 STOPIT	1329 131200 STOPIT	1337 200400 STOPIT	1346 222716 T816E03
1315 010300 CMS16L01 1322 110700 IMSON 1330 0053300 IMSON 1338 082700 IMSON 1347 054100 STOPIT 1315 032100 CS04L01 1322 124500 STOPIT 1330 0553300 IMSON 1338 082700 IMSON 1347 103200 IMSON 1315 055400 IMSON 1322 124500 STOPIT 1330 00500 STOPIT 1338 092000 STOPIT 1347 103206 IMSON 1315 055400 IMSON 1322 131000 IMSON 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 135300 IMSON 1315 080000 IMSON 1322 2303300 IMSON 1330 133500 IMSON 1338 204500 IMSON 1347 135300 IMSON 1315 103800 STOPIT 1330 122033316 T816E03 1330 133500 IMSON 1338 204500 IMSON 1347 1255000 STOPIT 1315 122000 IMSON 1322 235500 STOPIT 1330 163500 STOPIT 1338 232700 STOPIT 1347 203500 IMSON 1315 122000 IMSON 1322 235500 STOPIT 1330 163500 STOPIT 1338 232700 STOPIT 1347 203516 T816E03 1315 122000 IMSON 1323 011800 IMSON 1330 163500 STOPIT 1338 232700 STOPIT 1347 203516 T816E03 1315 122000 IMSON 1323 011800 IMSON 1330 12300 IMSON 1338 204500 IMSON 1348 074500 IMSON 1315 184600 IMSON 1323 025700 STOPIT 1330 12300 IMSON 1330 02500 IMSON 1330 02500 IMSON 1330 02500 IMSON 1348 074500 IMSON 1315 184600 IMSON 1323 045500 IMSON 1331 011400 IMSON 1339 005900 IMSON 1348 074500 IMSON 1315 213900 IMSON 1323 045500 IMSON 1331 075116 T816E03 1339 190200 IMSON 1348 074500 IMSON 1315 213916 T816E03 1323 045500 IMSON 1331 075116 T816E03 1339 190200 IMSON 1348 074500 IMSON 1316 07500 IMSON 1323 02200 IMSON 1331 1075116 T816E03 1339 190200 IMSON 1348 074500 IMSON 1316 07500 IMSON 1323 122000 IMSON 1331 120000 IMSON 1331	1314 111716 T816E03	1322 023016 T816E03	1329 192316 T816E03	1337 204516 T816E03	1347 002900 IMSON
1315 010300 CMS16L01 1322 110700 IMSON 1330 0053300 IMSON 1338 082700 IMSON 1347 054100 STOPIT 1315 032100 CS04L01 1322 124500 STOPIT 1330 0553300 IMSON 1338 082700 IMSON 1347 103200 IMSON 1315 055400 IMSON 1322 124500 STOPIT 1330 00500 STOPIT 1338 092000 STOPIT 1347 103206 IMSON 1315 055400 IMSON 1322 131000 IMSON 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 123100 STOPIT 1330 104500 IMSON 1338 103000 IMSON 1347 135300 IMSON 1315 080000 IMSON 1322 2303300 IMSON 1330 133500 IMSON 1338 204500 IMSON 1347 135300 IMSON 1315 103800 STOPIT 1330 122033316 T816E03 1330 133500 IMSON 1338 204500 IMSON 1347 1255000 STOPIT 1315 122000 IMSON 1322 235500 STOPIT 1330 163500 STOPIT 1338 232700 STOPIT 1347 203500 IMSON 1315 122000 IMSON 1322 235500 STOPIT 1330 163500 STOPIT 1338 232700 STOPIT 1347 203516 T816E03 1315 122000 IMSON 1323 011800 IMSON 1330 163500 STOPIT 1338 232700 STOPIT 1347 203516 T816E03 1315 122000 IMSON 1323 011800 IMSON 1330 12300 IMSON 1338 204500 IMSON 1348 074500 IMSON 1315 184600 IMSON 1323 025700 STOPIT 1330 12300 IMSON 1330 02500 IMSON 1330 02500 IMSON 1330 02500 IMSON 1348 074500 IMSON 1315 184600 IMSON 1323 045500 IMSON 1331 011400 IMSON 1339 005900 IMSON 1348 074500 IMSON 1315 213900 IMSON 1323 045500 IMSON 1331 075116 T816E03 1339 190200 IMSON 1348 074500 IMSON 1315 213916 T816E03 1323 045500 IMSON 1331 075116 T816E03 1339 190200 IMSON 1348 074500 IMSON 1316 07500 IMSON 1323 02200 IMSON 1331 1075116 T816E03 1339 190200 IMSON 1348 074500 IMSON 1316 07500 IMSON 1323 122000 IMSON 1331 120000 IMSON 1331	1314 170500 STOP1T 1314 225100 IMSON	1322 074500 IMSON	1329 200400 STOPLT 1329 212400 IMSON	1338 020100 IMSON	1347 035900 STOPIT
3315 01 0300 CS16L01 322 110706 IMSON 1330 053300 IMSON 1338 082700 IMSON 1347 103200 IMSON 1315 032100 CS04L01 322 110716 T816E03 1330 055306 T816E03 1338 082716 T816E03 1347 103216 T816E03 1315 055406 IMSON 1322 131006 IMSON 1330 095500 STOPIT 1338 092000 STOPIT 1347 103216 T816E03 1315 0753400 IMSON 1322 131016 T816E03 1330 104516 T816E03 1338 103001 IMSON 1347 123100 STOPIT 1315 080001 IMSON 1322 131016 T816E03 1330 104516 T816E03 1338 103016 T816E03 1347 135300 IMSON 1315 070300 STOPIT 1322 165400 STOPIT 1330 120000 STOPIT 1338 161800 STOPIT 1347 135316 T816E03 1315 080001 IMSON 1322 230300 IMSON 1330 120000 STOPIT 1338 161800 STOPIT 1347 135316 T816E03 1315 103800 STOPIT 1322 230300 IMSON 1330 133510 IMSON 1338 204500 IMSON 1347 155000 STOPIT 1315 122000 IMSON 1322 230500 STOPIT 1330 163500 STOPIT 1338 232700 STOPIT 1347 203516 T816E03 1315 122010 IMSON 1323 011800 IMSON 1330 122300 IMSON 1338 204516 T816E03 1347 203500 IMSON 1315 122016 T816E03 1323 011810 IMSON 1330 122300 IMSON 1338 204516 T816E03 1347 203500 IMSON 1315 184600 IMSON 1323 025700 STOPIT 1330 163500 STOPIT 1338 232700 STOPIT 1347 203516 T816E03 1315 184600 IMSON 1323 025700 STOPIT 1330 222316 T816E03 1339 005900 IMSON 1348 021800 STOPIT 1330 24800 STOPIT 1330 04400 STOPIT 1330 14800 STOPIT 1330 1480 04400 STOPIT 1320 04500 IMSON 1348 143000 IMSON 1316 04500 IMSON 1323 045516 T816E03 1331 075100 IMSON 1339 00000 STOPIT 1348 143000 IMSON 1348 04500 IMSON	1314 225116 C416L01 1315 002600 CMMSL01	1322 101100 STOPIT	1329 212416 T816E03 1330 004000 STOPIT	1338 020116 T816E03 1338 023800 STOPIT	1347 045500 IMSON
1315 055416 T816E03 1322 131016 T816E03 1330 104516 T816E03 1338 103016 T816E03 1347 135300 IMSON 1315 080000 IMSON 1322 230300 IMSON 1330 133500 IMSON 1338 103016 IMSON 1347 135316 T816E03 1315 103800 STOPIT 1322 230316 T816E03 1330 133510 IMSON 1338 204500 IMSON 1347 1255000 STOPIT 1315 103800 STOPIT 1322 230316 T816E03 1330 133516 T816E03 1338 204500 IMSON 1347 203516 T816E03 1315 122000 IMSON 1323 011800 IMSON 1330 123516 T816E03 1338 232700 STOPIT 1347 203516 T816E03 1315 122016 T816E03 1323 011816 T816E03 1330 122316 T816E03 1339 005900 IMSON 1348 074500 IMSON 1315 122016 T816E03 1323 025700 STOPIT 1330 234400 STOPIT 1339 043700 STOPIT 1348 074516 T816E03 1315 184616 T816E03 1323 045500 IMSON 1331 01440 IMSON 1339 090200 IMSON 1348 074516 T816E03 1315 204800 STOPIT 1323 045500 IMSON 1331 014400 IMSON 1339 090200 IMSON 1348 074516 T816E03 1315 204800 STOPIT 1323 045500 IMSON 1331 014416 T816E03 1339 090216 T816E03 1348 143316 T816E03 1315 213916 T816E03 1323 045500 IMSON 1331 075100 IMSON 1339 090200 IMSON 1348 143316 T816E03 1316 023300 IMSON 1323 092200 IMSON 1331 075100 IMSON 1339 090200 IMSON 1348 143316 T816E03 1316 023300 IMSON 1323 12400 STOPIT 1331 075100 IMSON 1339 090200 IMSON 1348 173000 IMSON 1316 02300 IMSON 1323 12400 STOPIT 1331 120010 IMSON 1339 00000 STOPIT 1348 173016 T816E03 1316 033800 STOPIT 1323 122000 STOPIT 1331 120010 IMSON 1339 000000 STOPIT 1348 173016 T816E03 1348 173016 T816E03 1316 045316 T816E03 1323 203010 IMSON 1331 120010 IMSON 1339 00000 STOPIT 1349 002300 STOPIT 1340 001600 STOPIT		1322 110700 IMSON	1330 053300 IMSON	1338 082700 TMSON	1347 054100 STOPIT
1315 055416 T816E03 1322 131016 T816E03 1330 104516 T816E03 1338 103016 T816E03 1347 135300 IMSON 1315 080000 IMSON 1322 230300 IMSON 1330 133500 IMSON 1338 103016 IMSON 1347 135316 T816E03 1315 103800 STOPIT 1322 230316 T816E03 1330 133510 IMSON 1338 204500 IMSON 1347 1255000 STOPIT 1315 103800 STOPIT 1322 230316 T816E03 1330 133516 T816E03 1338 204500 IMSON 1347 203516 T816E03 1315 122000 IMSON 1323 011800 IMSON 1330 123516 T816E03 1338 232700 STOPIT 1347 203516 T816E03 1315 122016 T816E03 1323 011816 T816E03 1330 122316 T816E03 1339 005900 IMSON 1348 074500 IMSON 1315 122016 T816E03 1323 025700 STOPIT 1330 234400 STOPIT 1339 043700 STOPIT 1348 074516 T816E03 1315 184616 T816E03 1323 045500 IMSON 1331 01440 IMSON 1339 090200 IMSON 1348 074516 T816E03 1315 204800 STOPIT 1323 045500 IMSON 1331 014400 IMSON 1339 090200 IMSON 1348 074516 T816E03 1315 204800 STOPIT 1323 045500 IMSON 1331 014416 T816E03 1339 090216 T816E03 1348 143316 T816E03 1315 213916 T816E03 1323 045500 IMSON 1331 075100 IMSON 1339 090200 IMSON 1348 143316 T816E03 1316 023300 IMSON 1323 092200 IMSON 1331 075100 IMSON 1339 090200 IMSON 1348 143316 T816E03 1316 023300 IMSON 1323 12400 STOPIT 1331 075100 IMSON 1339 090200 IMSON 1348 173000 IMSON 1316 02300 IMSON 1323 12400 STOPIT 1331 120010 IMSON 1339 00000 STOPIT 1348 173016 T816E03 1316 033800 STOPIT 1323 122000 STOPIT 1331 120010 IMSON 1339 000000 STOPIT 1348 173016 T816E03 1348 173016 T816E03 1316 045316 T816E03 1323 203010 IMSON 1331 120010 IMSON 1339 00000 STOPIT 1349 002300 STOPIT 1340 001600 STOPIT	1315 051500 STOPIT	1322 124500 STOPIT	1330 095500 STOPIT	1338 092000 STOPIT	1347 103216 T816E03
1315 08 00000 IMSON 1322 23 0300 IMSON 1330 133500 IMSON 1338 20 4500 IMSON 1347 255000 STOPIT 1315 10 3800 STOPIT 1322 23 5500 STOPIT 1330 16 3500 STOPIT 1338 20 4516 T816E 03 1347 20 3516 T816E 03 1315 12 2000 IMSON 1323 01 1816 T816E 03 1330 12 22 300 IMSON 1339 00 5900 IMSON 1348 02 1800 STOPIT 1351 12 2016 T816E 03 1323 01 1816 T816E 03 1330 22 2316 T816E 03 1339 00 5900 IMSON 1348 07 4510 IMSON 1315 12 2016 T816E 03 1323 02 5700 STOPIT 1330 22 2316 T816E 03 1339 00 5916 T816E 03 1348 07 4510 IMSON 1315 18 4610 IMSON 1323 02 5700 IMSON 1330 23 4400 STOPIT 1339 04 3700 STOPIT 1348 07 4516 T816E 03 1315 18 4616 T816E 03 1323 04 5516 T816E 03 1331 1416 T816E 03 1339 09 00 5916 T816E 03 1348 07 4516 T816E 03 1315 20 4800 STOPIT 1323 04 5500 IMSON 1331 01 1416 T816E 03 1339 09 02 16 T816E 03 1348 14 3300 IMSON 1315 21 3910 IMSON 1323 09 2200 IMSON 1331 07 5100 IMSON 1339 09 02 16 T816E 03 1348 14 3316 T816E 03 1316 02 2300 IMSON 1323 09 2200 IMSON 1331 07 5100 IMSON 1339 09 02 16 T816E 03 1348 17 3000 IMSON 1316 02 2316 T816E 03 13240 STOPIT 1331 13 1700 STOPIT 1349 02 00 00 STOPIT 1348 17 3010 IMSON 1316 02 2316 T816E 03 1323 12 12 00 STOPIT 1340 00 1600 STOPIT 1349 02 02 300 STOPIT 1360 03 3800 STOPIT 1323 22 0300 IMSON 1331 19 2001 IMSON 1339 20 4100 IMSON 1348 17 3000 IMSON 1316 04 5300 IMSON 1323 22 0300 IMSON 1331 19 2001 IMSON 1339 20 4100 IMSON 1348 22 4800 STOPIT 1316 04 5300 IMSON 1323 22 0300 IMSON 1331 12 12 12 10 16 T816E 03 1340 01 1600 STOPIT 1340 00 1600 STOPIT	1315 055416 T816E03	1322 131016 T816E03	1330 104516 T816E03	1338 103016 T816E03	l 1347 135300 IMSON
1315 103800 STOPIT 1322 235500 STOPIT 1330 163500 STOPIT 1338 232700 STOPIT 1347 203516 T816E03 1315 122010 IMSON 1323 011816 T816E03 1330 222316 T816E03 1339 005910 IMSON 1348 074500 IMSON 1315 135100 STOPIT 1323 025700 STOPIT 1330 222316 T816E03 1339 005916 T816E03 1348 074500 IMSON 1315 184610 IMSON 1323 025700 STOPIT 1330 234400 STOPIT 1339 0043700 STOPIT 1348 074516 T816E03 1315 184616 T816E03 1323 045516 T816E03 1331 011410 IMSON 1339 090200 IMSON 1348 090300 STOPIT 1348 074516 T816E03 1315 204800 STOPIT 1323 063000 STOPIT 1331 011416 T816E03 1339 090216 T816E03 1348 143300 IMSON 1315 213900 IMSON 1323 092200 IMSON 1331 011416 T816E03 1339 190200 IMSON 1348 143316 T816E03 1315 213916 T816E03 1323 092200 IMSON 1331 075100 IMSON 1339 190200 IMSON 1348 143316 T816E03 1316 013100 STOPIT 1323 132400 STOPIT 1331 131700 STOPIT 1339 130000 STOPIT 1348 143316 T816E03 1316 022300 IMSON 1323 12400 STOPIT 1331 131700 STOPIT 1339 120000 STOPIT 1348 173016 T816E03 1316 022316 T816E03 1323 12400 STOPIT 1331 131700 STOPIT 1339 120000 STOPIT 1348 173016 T816E03 1316 033800 STOPIT 1323 121200 STOPIT 1331 131700 STOPIT 1339 200000 STOPIT 1348 173016 T816E03 1316 033800 STOPIT 1323 212000 IMSON 1331 192000 IMSON 1339 204100 IMSON 1348 224800 STOPIT 1316 045300 IMSON 1323 220300 IMSON 1331 120016 T816E03 1339 04116 T816E03 1348 231600 M2834 01 1316 045300 IMSON 1323 220300 IMSON 1331 120000 IMSON 1334 0015900 IMSON 1349 044300 IMSON 1316 085000 IMSON 1324 022800 IMSON 1332 020000 IMSON 1340 015900 IMSON 1349 044300 IMSON 1316 085000 IMSON 1324 022800 IMSON 1332 052900 IMSON 1340 015900 IMSON 1349 071000 IMSON 1316 085016 T816E03 1324 032800 STOPIT 1332 003600 STOPIT 1340 001600 STOPIT 1349 042700 STOPIT 1316 085000 IMSON 1324 022800 IMSON 1332 052900 IMSON 1340 082300 IMSON 1349 071000 IMSON 1316 085016 T816E03 1324 032800 STOPIT 1	1315 080000 IMSON	1322 230300 IMSON	1330 133500 IMSON	1338 204500 IMSON	1347 155000 STOPIT
1315 122010 IMSON 1323 011816 T816E03 1330 222310 IMSON 1339 005900 IMSON 1348 074510 IMSON 1315 135100 STOPIT 1323 025700 STOPIT 1330 22316 T816E03 1339 005916 T816E03 1348 074510 IMSON 1315 184610 IMSON 1323 045516 T816E03 1331 011400 IMSON 1339 043700 STOPIT 1348 074516 T816E03 1315 204800 STOPIT 1323 045516 T816E03 1331 011400 IMSON 1339 090200 IMSON 1348 090300 STOPIT 1315 204800 STOPIT 1323 063000 STOPIT 1331 063000 STOPIT 1339 043700 STOPIT 1348 143300 IMSON 1315 213900 IMSON 1323 092200 IMSON 1331 063000 STOPIT 1339 090200 IMSON 1348 143300 IMSON 1315 213916 T816E03 1323 092201 IMSON 1331 075110 IMSON 1339 190200 IMSON 1348 143316 T816E03 1316 013100 STOPIT 1323 132400 STOPIT 1331 131700 STOPIT 1339 190200 IMSON 1348 173000 IMSON 1316 022301 IMSON 1323 164501 IMSON 1331 192000 IMSON 1339 190200 STOPIT 1348 173000 IMSON 1316 022316 T816E03 1323 164501 IMSON 1331 192000 IMSON 1339 204100 IMSON 1348 173016 T816E03 1316 033800 STOPIT 1324 024800 STOPIT 1331 124000 IMSON 1348 173016 T816E03 1348 044300 IMSON 1316 045300 IMSON 1323 220300 IMSON 1331 122000 IMSON 1340 015900 IMSON 1349 044300 IMSON 1316 045300 IMSON 1323 220300 IMSON 1331 212000 IMSON 1340 015900 IMSON 1349 044300 IMSON 1316 045300 IMSON 1323 220300 IMSON 1331 212000 IMSON 1340 015900 IMSON 1349 044300 IMSON 1316 085016 T816E03 1324 022800 IMSON 1332 052900 IMSON 1340 015916 T816E03 1349 071000 IMSON 1316 085016 T816E03 1324 022801 IMSON 1332 052900 IMSON 1340 082300 IMSON 1349 071000 IMSON 1316 085016 T816E03 1324 022801 IMSON 1332 052900 IMSON 1340 082300 IMSON 1349 071000 IMSON 1316 085016 T816E03 1324 022801 IMSON 1332 052910 IMSON 1340 082300 IMSON 1349 071000 IMSON 1316 085016 T816E03 1324 022801 IMSON 1332 052910 IMSON 1340 082300 IMSON 1349 071000 IMSON 1316 085016 T816E03 1324 022801 IMSON 1332 052910 IMSON 1340 082300 IMSON 1349 071000 I		1322 230316 T816E03 1322 235500 STOPIT	1330 163500 5770077	1338 232700 STOPIT	1347 203500 IMSON 1347 203516 T816E03
1315 184600 IMSON 1323 045500 IMSON 1331 011400 IMSON 1339 090200 IMSON 1348 043300 IMSON 1315 1348 043300 IMSON 1315 1346 043300 IMSON 1323 063000 STOPIT 1331 063000 STOPIT 1339 130200 STOPIT 1348 143310 IMSON 1315 213900 IMSON 1323 092200 IMSON 1331 075100 IMSON 1339 190200 IMSON 1348 143310 T816E03 1315 131916 T816E03 1323 092216 T816E03 1331 075110 IMSON 1339 190200 IMSON 1348 175600 STOPIT 1316 013100 STOPIT 1323 132400 STOPIT 1331 131700 STOPIT 1339 200000 STOPIT 1348 173016 T816E03 1316 022301 IMSON 1323 164500 IMSON 1331 192010 IMSON 1339 204100 IMSON 1348 274000 T816E03 1316 022316 T816E03 1323 164501 IMSON 1331 192016 T816E03 1339 204110 IMSON 1348 244800 STOPIT 1316 033800 STOPIT 1323 211200 STOPIT 1331 20100 STOPIT 1340 001600 STOPIT 1349 002300 STOPIT 1316 045300 IMSON 1323 220300 IMSON 1331 212010 IMSON 1340 015900 IMSON 1349 044300 IMSON 1316 045301 IMSON 1323 220300 IMSON 1331 212016 T816E03 1340 015916 T816E03 1349 044316 T816E03 1316 045300 IMSON 1324 022800 IMSON 1332 052910 IMSON 1340 015916 T816E03 1349 044316 T816E03 1316 085016 T816E03 1324 022801 IMSON 1332 052910 IMSON 1340 082300 IMSON 1349 071000 IMSON 1316 085016 T816E03 1324 022801 IMSON 1332 052910 IMSON 1340 082316 T816E03 1349 071000 IMSON 1316 085016 T816E03 1324 022816 T816E03 1332 052916 T816E03 1340 082316 T816E03 1349 071016 T816E03 1316 02300 STOPIT 1324 022801 STOPIT 1324 095100 STOPIT 1340 095100 T850PIT 1340 095100 1349 071016 T816E03 1316 085016 T816E03 1324 022816 T816E03 1332 052916 T816E03 1340 082316 T816E03 1349 071016 T816E03 1	1315 122000 IMSON	1323 011800 IMSON	1330 222300 IMSON	1339 005900 IMSON	1348 021800 STOPIT
1315 184616 T816E03 1323 045516 T816E03 1331 011416 T816E03 1339 090216 T816E03 1348 143300 IMSON 1315 213900 IMSON 1323 092200 IMSON 1331 075100 IMSON 1339 130200 STOPIT 1348 143316 T816E03 1315 213916 T816E03 1323 092216 T816E03 1331 075100 IMSON 1339 190200 IMSON 1348 173000 IMSON 1316 013100 STOPIT 1323 132400 STOPIT 1331 131700 STOPIT 1339 190200 IMSON 1348 173000 IMSON 1316 022300 IMSON 1323 12400 STOPIT 1331 131700 STOPIT 1339 200000 STOPIT 1348 173016 T816E03 1316 022316 T816E03 1323 164516 T816E03 1331 192000 IMSON 1339 204100 IMSON 1348 173016 T816E03 1316 033800 STOPIT 1323 211200 STOPIT 1331 192016 T816E03 1339 104116 T816E03 1348 231600 M2834 01 1316 033800 STOPIT 1323 211200 STOPIT 1331 200100 STOPIT 1340 001600 STOPIT 1349 002300 STOPIT 1316 045300 IMSON 1323 220300 IMSON 1331 1212000 IMSON 1340 015916 T816E03 1349 044316 T816E03 1316 055600 STOPIT 1324 004200 STOPIT 1332 003600 STOPIT 1340 015916 T816E03 1349 044316 T816E03 1316 085016 T816E03 1324 022800 IMSON 1332 052900 IMSON 1340 082316 T816E03 1349 07100 IMSON 1316 085016 T816E03 1324 022816 T816E03 1332 052900 IMSON 1340 082316 T816E03 1349 071016 T816E03 1316 02300 STOPIT 1324 022800 IMSON 1332 052900 IMSON 1340 082316 T816E03 1349 071016 T816E03 1316 085016 T816E03 1324 022816 T816E03 1332 052910 STOPIT 1340 091600 STOPIT 1349 072700 STOPIT 1340 071600 STOPIT 1340 071600 STOPIT 1349 072700 STOPIT 1340 071600 STOPIT 1340 071600 STOPIT 1349 072700 STOPIT 1340 071600 STOPIT 1340 071600 STOPIT 1349 072700 STOPIT 1340 071600 STOPIT 1340 071600 STOPIT 1349 072700 STOPIT 1340 071600 STOPIT 1	1315 135100 STOPIT	1323 025700 STOPIT	1330 234400 STOPIT	1339 043700 STOPIT	1348 074516 T816E03
1315 213900 IMSON	1315 184616 T816E03	1323 045516 T816E03	1331 011416 T816E03	1339 090216 T816E03	1348 143300 IMSON
1316 013100 STOPIT 1323 132400 STOPIT 1331 131700 STOPIT 1339 200000 STOPIT 1348 173016 T816E03 1316 022301 IMSON 1323 164500 IMSON 1331 192000 IMSON 1339 204100 IMSON 1348 224800 STOPIT 1316 02331 T816E03 1323 121200 STOPIT 1331 192016 T816E03 1339 204116 T816E03 1348 231600 M2834 01 1316 033800 STOPIT 1323 211200 STOPIT 1331 200100 STOPIT 1340 001600 STOPIT 1349 002300 STOPIT 1316 045300 IMSON 1323 220300 IMSON 1331 212000 IMSON 1340 015900 IMSON 1349 044300 IMSON 1316 045316 T816E03 1323 220316 T816E03 1331 212016 T816E03 1340 015916 T816E03 1349 044300 IMSON 1316 045300 IMSON 1324 022800 IMSON 1332 003600 STOPIT 1340 023600 STOPIT 1349 053700 STOPIT 1316 085016 T816E03 1324 022800 IMSON 1332 052910 IMSON 1340 018200 IMSON 1349 0470100 IMSON 1316 085016 T816E03 1324 022816 T816E03 1332 052916 T816E03 1340 082316 T816E03 1349 071000 IMSON 1316 085016 T816E03 1324 022816 T816E03 1332 052916 T816E03 1340 082316 T816E03 1349 071016 T816E03 1316 082016 STOPIT 1324 032100 STOPIT 1324 032100 STOPIT 1340 095000 STOPIT 1340 095000 STOPIT 1349 102700 STOPIT 1340 095000 STOPIT 1340 095000 STOPIT 1349 102700 STOPIT 1340 095000 STOPIT 1340 095000 STOPIT 1349 102700 STOPIT 1340 095000 STOPIT 1340 095000 STOPIT 1349 102700 STOPIT 1340 095000 STOPIT 1340 095000 STOPIT 1349 102700 STOPIT 1340 095000 STOPIT 1340 095000 STOPIT 1349 102700 STOPIT 1340 09500 STOPIT 1340 095000 STOPIT 1349 102700 STOPIT 1340 09500 STOPIT 1340 095000 STOPIT 1349 102700 STOPIT 1340 09500 STOPIT 1340 0	1315 213900 IMSON	1323 092200 IMSON	1331 075100 IMSON	1339 190200 IMSON	1348 155600 STOPIT
1316 022300 IMSON		1323 092216 T816E03 1323 132400 STOPIT	1331 075116 T816E03 1331 131700 STOPIT		
1316 033800 STOPIT 1323 211200 STOPIT 1331 20100 STOPIT 1340 001600 STOPIT 1349 002300 STOPIT 1316 045300 IMSON 1323 220300 IMSON 1331 212000 IMSON 1340 015900 IMSON 1349 044300 IMSON 1316 045316 T816E03 1323 220316 T816E03 1331 212016 T816E03 1340 015916 T816E03 1349 044316 T816E03 1316 085600 STOPIT 1324 004200 STOPIT 1324 004200 STOPIT 1340 023600 STOPIT 1349 053700 STOPIT 1316 085000 IMSON 1324 022800 IMSON 1332 052900 IMSON 1340 082316 T816E03 1349 071006 IMSON 1316 085016 T816E03 1324 022816 T816E03 1332 052916 T816E03 1340 082316 T816E03 1349 071016 T816E03 1316 08500 STOPIT 1324 032100 IMSON 1324 022816 T816E03 1332 052916 T816E03 1340 082316 T816E03 1349 071016 T816E03 1360 STOPIT 1324 032100 STOPIT 1324 071016 T816E03 1340 082316 T816E03 1349 071016 T816E03 1349 071016 T816E03 1340 082316 T816E03 1340 082316 T816E03 1349 071016 T816E03 1340 082316 T816E03 1340 082316 T816E03 1349 071016 T816E03 1340 082316 T816E0	1316 022300 IMSON	1323 164500 IMSON	1331 192000 IMSON	1339 204100 IMSON	1348 224800 STOPIT
1316 045316 T816E03 1323 220316 T816E03 1331 212016 T816E03 1340 015916 T816E03 1349 044316 T816E03 1316 055600 STOPIT 1324 004200 STOPIT 1332 005200 STOPIT 1340 023600 STOPIT 1349 053700 STOPIT 1316 085000 IMSON 1324 022800 IMSON 1332 052910 IMSON 1340 082300 IMSON 1349 071000 IMSON 1316 085016 T816E03 1324 022816 T816E03 1332 052916 T816E03 1340 082316 T816E03 1349 071016 T816E03 1316 02300 STOPIT 1324 022800 IMSON	1316 033800 STOPIT	1323 211200 STOPIT	1331 200100 STOPIT	1340 001600 STOPIT	1349 002300 STOPIT
1316 085000 IMSON	1316 045316 T816E03	1323 220316 T816E03	1331 212016 TB16E03	1340 015916 T816E03	1349 044316 T816E03
1316 102300 STOPIT 1324 032100 STOPIT 1332 095100 STOPIT 1340 091600 STOPIT 1349 122700 STOPIT	1316 085000 IMSON	1324 022800 IMSON	1332 052900 IMSON	1340 082300 IMSON	1349 071000 IMSON
1316 112700 TMSON 1324 074100 TMSON 1332 104100 TMSON 1340 102600 TMSON 1349 170000 TMSON 1316 177100 TMSON 1324 074116 TRIGEO3 1332 104116 TRIGEO3 1340 102616 TRIGEO3 1349 170016 TRIGEO3 1316 1775100 TMSON 1324 110300 TMSON 1332 113600 STOPLT 1340 161400 STOPLT 1349 120300 TMSON 1341 10300 TMSON 1332 133100 TMSON 1340 223301 TRIGEO3 1349 170016 TRIGEO3 1316 TRIGEO3 TMSON 1342 110301 TMSON 1332 133100 TMSON 1340 223301 TRIGEO3 TMSON 1349 203300 TMSON 1316 075400 TMSON 1324 124000 TMSON 1332 133116 TRIGEO3 TMSON TRIGEO3 TMSON TMS	1316 102300 STOPIT		1222 005100 0000000	1340 082316 T816E03 1340 091600 STOPIT	
1316 171700 STOPIT	1316 112700 IMSON	1324 074100 IMSON 1324 074116 TR16F03	1332 104100 IMSON	1340 102600 IMSON	1349 170000 IMSON
1316 175110 1816E03 1324 110301 1816E03 1332 133110 1816E03 1340 223316 1816E03 1349 203316 1816E03 1316 184500 STOPIT 1324 124100 STOPIT 1322 133110 1810E01 1340 223316 180E03 1350 02700 STOPIT 1316 054901 IMSON 1324 13060 IMSON 1332 221916 IMSON 1341 000900 IMSON 1350 054200 IMSON 1316 054901 IMSON 1324 150600 STOPIT 1322 221916 T816E03 1341 000900 IMSON 1350 054200 IMSON 1316 054900 IMSON 1317 075500 IMSON 1324 155000 STOPIT 1322 221916 T816E03 1341 000916 T816E03 1350 054200 IMSON 1317 075500 IMSON 1324 225800 IMSON 1332 221916 T816E03 1341 05600 IMSON 1350 054200 IMSON 1317 075516 T816E03 1324 225816 T816E03 1333 01100 IMSON 1341 050600 IMSON 1350 05500 STOPIT 1317 103300 STOPIT 1324 225800 STOPIT 1333 01100 IMSON 1341 050600 IMSON 1350 054200 STOPIT 1317 121500 IMSON 1325 011400 IMSON 1333 01100 IMSON 1341 050600 IMSON 1350 05300 STOPIT 1317 121500 IMSON 1325 011410 IMSON 1333 094500 IMSON 1341 100000 IMSON 1350 143016 T816E03 1317 124600 STOPIT 1326 025300 STOPIT 1333 094500 IMSON 1341 100000 IMSON 1350 143016 T816E03 1317 124600 STOPIT 1325 025300 STOPIT 1333 125800 STOPIT 1341 125900 STOPIT 1350 054000 IMSON 1350 172600 IMSON 1317 184100 IMSON 1325 045100 IMSON 1333 191700 IMSON 1341 125900 STOPIT 1350 02500 STOPIT 1350 0	1316 171700 STOPIT	1324 100700 STOPIT	1332 115600 STOPIT	1340 161400 STOPIT	1349 192100 STOPIT
1316 184900 SMOPT	1 1316 1/3116 TB16EU3	1324 110316 T816E03	1332 133116 T816E03	1340 223316 T816E03	1349 203316 T816E03
1316 054916 T816E03 1324 130616 T816E03 1332 234900 STOPIT 1341 045100 STOPIT 1350 054216 T816E03 136065800 STOPIT 1324 165000 STOPIT 1332 234900 STOPIT 1341 050616 T816E03 1350 095300 T816E03 137 075516 T816E03 1324 225816 T816E03 1333 011001 T816E03 1341 050616 T816E03 1350 095300 T816E03 1317 121500 IMSON 1325 011400 IMSON 1333 011001 T816E03 1341 050616 T816E03 1350 095300 T816E03 1317 121500 IMSON 1325 011400 IMSON 1333 01500 IMSON 1341 050616 T816E03 1350 045016 T816E03 1350 070PIT 1341 050616 T816E03 1350 095300 T816E03 1317 121500 IMSON 1325 011400 IMSON 1333 094516 T816E03 1341 100001 IMSON 1350 143016 T816E03 1350 143016 T816E03 1350 143016 T816E03 1350 143016 T816E03 1351 143016 T816E03 1350 143016 T816E03 1350 143016 T816E03 1351 143016 T816E03 1350 1430	1316 154500 STOP11 1316 054900 IMSON	1324 130600 IMSON	1332 163100 STOPIT 1332 221900 IMSON	1340 232300 STOPLT 1341 000900 IMSON	1350 002700 STOPLT
1317 075500 IMSON 1324 225800 IMSON 1333 011000 IMSON 1341 050600 IMSON 1350 095300 T816E03 1317 103300 STOPIT 1324 235900 STOPIT 1333 060900 STOPIT 1341 060120 STOPIT 1350 143000 IMSON 1317 121510 IMSON 1325 011400 IMSON 1333 011016 T816E03 1341 100000 IMSON 1350 143000 IMSON 1317 121510 IMSON 1325 011416 T816E03 1333 094516 T816E03 1341 100016 T816E03 1350 155300 STOPIT 1317 134600 STOPIT 1325 025300 STOPIT 1333 125800 STOPIT 1341 125900 STOPIT 1350 172600 IMSON 1317 184110 IMSON 1325 045100 IMSON 1333 191700 IMSON 1341 204800 IMSON 1350 172616 T816E03 1317 204300 STOPIT 1325 062600 STOPIT 1333 201200 STOPIT 1341 204816 T816E03 1350 12500 STOPIT 1317 213416 T816E03 1325 075700 IMSON 1333 191700 IMSON 1342 024500 STOPIT 1351 042100 IMSON 1318 012600 STOPIT 1325 131400 STOPIT 1333 205500 IMSON 1342 024500 STOPIT 1351 042100 IMSON 1318 021900 IMSON 1325 164110 IMSON 1333 191700 IMSON 1342 032700 T816E03 1351 042116 T816E03 1318 021910 IMSON 1325 164110 IMSON 1334 020900 IMSON 1342 075700 IMSON 1351 073600 IMSON 1318 021910 IMSON 1325 164110 IMSON 1334 020910 IMSON 1342 075700 IMSON 1351 073610 IMSON 1318 024910 IMSON 1325 164110 IMSON 1334 020910 IMSON 1342 032700 IMSON 1351 165600 IMSON 1318 045010 IMSON 1325 164110 IMSON 1334 020910 IMSON 1342 075700 IMSON 1351 165600 IMSON 1318 045010 IMSON 1325 14416 T816E03 1334 074800 IMSON 1342 035700 IMSON 1351 165616 T816E03 1318 045000 IMSON 1326 022300 IMSON 1334 074800 IMSON 1342 035700 IMSON 1351 165616 T816E03 1318 045000 IMSON 1326 022300 IMSON 1334 03510 IMSON 1342 035700 IMSON 1351 035800 IMSON 1351 02000 STOPIT 1334 103500 IMSON 1342 035700 IMSON 1352 035800 IMSON 1352	1316 054916 T816E03 1316 065800 STOPIT	1324 130616 T816E03 1324 165000 STOPIT	1332 221916 T816E03 1332 234000 STOPIT	1341 000916 T816E03 1341 045100 STOPIT	1350 054216 T816E03 1350 085900 STOPIT
1317 103300 STOPIT	1317 075500 IMSON 1317 075516 T816E03	1324 225800 IMSON 1324 225816 T816E03	1333 011000 IMSON 1333 011016 T816E03	1341 050600 IMSON 1341 050616 TR16E03	1350 095300 T816E03
1317 121516 1816E03 1325 011416 1816E03 1333 094516 1816E03 1341 100016 1816E03 1350 155300 STOPIT 1317 134600 STOPIT 1325 025300 STOPIT 1333 125800 STOPIT 1341 125900 STOPIT 1350 175300 STOPIT 1317 184110 IMSON 1325 045110 IMSON 1333 191700 IMSON 1341 204800 IMSON 1350 172616 T816E03 1317 204300 STOPIT 1325 062600 STOPIT 1333 191716 T816E03 1341 204816 T816E03 1350 224800 STOPIT 1317 213400 IMSON 1325 075700 IMSON 1333 205500 IMSON 1342 024500 STOPIT 1351 042100 IMSON 1317 213416 T816E03 1325 075716 T816E03 1333 205516 T816E03 1342 024500 STOPIT 1351 042116 T816E03 1318 021900 IMSON 1325 075716 T816E03 1333 205516 T816E03 1342 041000 STOPIT 1351 042116 T816E03 1318 021900 IMSON 1325 164116 T816E03 1333 205516 T816E03 1342 041000 STOPIT 1351 042116 T816E03 1318 021916 T816E03 1325 164116 T816E03 1334 020900 IMSON 1342 075716 T816E03 1351 073616 T816E03 1318 033400 STOPIT 1325 120100 STOPIT 1342 135700 IMSON 1351 073616 T816E03 1318 033400 STOPIT 1325 020600 STOPIT 1334 030100 STOPIT 1342 135710 IMSON 1351 073616 T816E03 1318 045016 T816E03 1325 14416 T816E03 1334 074800 IMSON 1342 135716 T816E03 1351 165616 T816E03 1318 045016 T816E03 1325 14416 T816E03 1334 074800 IMSON 1342 135716 T816E03 1351 120100 T816E03 1318 045016 T816E03 1326 023016 IMSON 1334 074800 IMSON 1342 135716 T816E03 1351 13510 135	1317 103300 STOPIT	1324 235000 STOPIT	1333 060900 STOPIT	1341 061200 STOPIT	1350 143000 IMSON
1317 1348 100 1MSON 1325 045100 1MSON 1333 125800 1317 1341 125900 1350 172600 1350 172616 1316E03 1317 1341 125900 1341 125900 1350 172616 1350 172610 1350 135	1317 121516 T816E03	1325 011416 T816E03	1333 094516 T816E03	1341 100016 T816E03	1350 155300 STOPIT
1317 184116 T816E03 1325 045116 T816E03 1333 191716 T816E03 1341 204816 T816E03 1350 224800 STOPIT 1317 213400 IMSON 1325 075700 IMSON 1333 205500 IMSON 1342 024500 STOPIT 1351 042100 IMSON 1317 213410 IMSON 1325 075700 IMSON 1333 205500 IMSON 1342 032700 T816E03 1351 042116 T816E03 1317 213410 T816E03 1325 131400 STOPIT 1333 205516 T816E03 1342 041000 STOPIT 1351 042116 T816E03 1318 021900 IMSON 1325 131400 STOPIT 1333 235500 STOPIT 1342 041000 STOPIT 1351 053300 STOPIT 1318 021916 T816E03 1325 164116 T816E03 1334 020900 IMSON 1342 075700 IMSON 1351 073616 T816E03 1318 021916 T816E03 1325 164116 T816E03 1334 020916 T816E03 1342 093100 STOPIT 1351 122300 STOPIT 1318 033400 STOPIT 1325 202600 STOPIT 1334 030100 STOPIT 1342 135700 IMSON 1351 165600 IMSON 1318 045000 IMSON 1325 214401 T816E03 1334 074800 IMSON 1342 135716 T816E03 1351 165616 T816E03 1318 045016 T816E03 1325 214416 T816E03 1334 074800 IMSON 1342 135716 T816E03 1351 165616 T816E03 1318 045016 T816E03 1326 022300 IMSON 1334 074816 T816E03 1342 222900 IMSON 1351 1201100 T816E03 1318 045010 IMSON 1326 022300 IMSON 1334 035500 IMSON 1342 222916 T816E03 1351 135200 STOPIT 1318 084716 T816E03 1326 022316 T816E03 1334 103516 T816E03 1342 031900 STOPIT 1352 053800 IMSON 1318 113300 IMSON 1326 03400 STOPIT 1334 103510 IMSON 1342 222916 T816E03 1351 135200 STOPIT 1318 13330 IMSON 1326 03400 STOPIT 1334 103516 T816E03 1343 005500 IMSON 1352 053800 IMSON 1352 053800 IMSON 1344 005500 IMSON 1344 005500 IMSON 1352 053800 IMSON 1352 053800 IMSON 1352 053800 IMSON 1353 053800 IMSON	1317 134600 STOP11 1317 184100 IMSON	1325 025300 STOPLY 1325 045100 IMSON	1333 125800 STOPIT 1333 191700 IMSON	1341 125900 STOPLT 1341 204800 IMSON	1350 172616 T816E03
1317 213400 IMSON 1325 075700 IMSON 1333 205500 IMSON 1342 032700 T816E03 1351 042116 T816E03 1317 213416 T816E03 1325 075716 T816E03 1333 205516 T816E03 1342 04100 STOPIT 1351 053300 STOPIT 1318 021900 IMSON 1325 164110 IMSON 1334 020900 IMSON 1342 075716 T816E03 1351 073600 IMSON 1318 021916 T816E03 1325 164110 IMSON 1334 020900 IMSON 1342 075716 T816E03 1351 073616 T816E03 1318 033400 STOPIT 1325 202600 STOPIT 1334 020900 IMSON 1342 075716 T816E03 1351 1073616 T816E03 1318 045000 IMSON 1325 214400 IMSON 1334 020916 T816E03 1342 093100 STOPIT 1351 122300 STOPIT 1318 045000 IMSON 1325 214400 IMSON 1334 074816 T816E03 1342 135710 IMSON 1351 165600 IMSON 1318 045016 T816E03 1325 214416 T816E03 1334 074816 T816E03 1342 135716 T816E03 1351 165616 T816E03 1318 045016 IMSON 1326 022300 IMSON 1334 074816 T816E03 1342 222901 IMSON 1351 1201100 T816E03 1318 045000 IMSON 1326 022316 T816E03 1334 074816 T816E03 1342 222901 IMSON 1351 201100 T816E03 1318 02000 STOPIT 1326 030400 STOPIT 1334 03500 IMSON 1342 222901 T816E03 1351 135200 STOPIT 1318 045000 STOPIT 1326 030400 STOPIT 1334 03516 T816E03 1342 03500 STOPIT 1352 053800 IMSON 1318 113300 IMSON 1326 041800 IMSON 1334 103516 T816E03 1343 005050 IMSON 1352 053800 IMSON 1318 113316 T816E03 1326 041800 IMSON 1334 144900 IMSON 1343 005050 IMSON 1352 053800 IMSON 1318 13316 T816E03 1326 041800 IMSON 1334 144900 IMSON 1343 005016 T816E03 1352 042100 IMSON 136000	1317 184116 T816E03 1317 204300 STOPIT	1325 045116 T816E03 1325 062600 STOPIT	1333 191716 T816E03 1333 201200 STOPIT	1341 204816 T816E03 1342 024500 STOPIT	1350 224800 STOPIT 1351 042100 IMSON
1318 012600 STOPIT 1325 131400 STOPIT 1333 235500 STOPIT 1342 075706 IMSON 1351 073600 IMSON 1318 021916 T816E03 1325 164116 T816E03 1334 020916 T816E03 1342 075716 T816E03 1351 073616 T816E03 1318 021916 T816E03 1325 164116 T816E03 1334 020916 T816E03 1342 093100 STOPIT 1351 122300 STOPIT 1318 033400 STOPIT 1325 202600 STOPIT 1334 030100 STOPIT 1342 135700 IMSON 1351 1252300 STOPIT 1318 045000 IMSON 1325 214400 IMSON 1334 074816 T816E03 1342 135716 T816E03 1351 165616 T816E03 1318 045016 T816E03 1325 214416 T816E03 1334 074816 T816E03 1342 135716 T816E03 1351 165616 T816E03 1318 045016 IMSON 1325 214416 T816E03 1334 074816 T816E03 1342 135716 T816E03 1351 165616 T816E03 1318 045016 IMSON 1326 022301 IMSON 1334 074816 T816E03 1342 122901 IMSON 1351 1201100 T816E03 1318 045010 IMSON 1326 022301 IMSON 1334 103501 IMSON 1342 222901 IMSON 1351 201100 T816E03 1318 02000 STOPIT 1326 030400 STOPIT 1334 103516 T816E03 1342 231900 STOPIT 1352 053800 IMSON 1318 113300 IMSON 1326 041800 IMSON 1334 103516 T816E03 1342 000500 IMSON 1352 053816 T816E03 1318 113316 T816E03 1326 041800 IMSON 1334 144906 T816E03 1343 000516 T816E03 1352 053800 IMSON 1318 113316 T816E03 1326 041800 IMSON 1334 144906 T816E03 1343 000516 T816E03 1352 092100 M083201 1318 123316 T816E03 1326 041800 IMSON 1334 144916 T816E03 1343 044700 STOPIT 1352 092100 M083201 1318 1230300 IMSON 1326 041800 IMSON 1334 144916 T816E03 1343 044700 STOPIT 1352 092100 M083201 1318 1230300 IMSON 1326 041800 IMSON 1334 144916 T816E03 1343 063900 STOPIT 1352 042000 STOPIT 1352 042000 STOPIT 1343 000516 T816E03 1352 043900 T816E03 1318 230316 T816E03 1326 041800 IMSON 1334 1249100 STOPIT 1343 000516 T816E03 1352 043900 T816E03 1318 230316 T816E03 1326 041800 IMSON 1334 1249100 STOPIT 1343 000516 T816E03 1352 043900 T816E03 1318 230316 T816E03 1326 041800 IMSON 1334 201510 IMSON 1343	1317 213400 IMSON 1317 213416 T816F03	1325 075700 IMSON 1325 075716 T816F03	1333 205500 IMSON 1333 205516 TR16E03	1342 032700 T816E03	1351 042116 T816E03 1351 053300 STOPIT
1318 021916 1816E03 1325 14410 1816E03 1334 020916 1816E03 1342 03710 1870PIT 1351 12230 1870PIT 1318 033400 STOPIT 1325 202600 STOPIT 1334 030100 STOPIT 1342 135700 IMSON 1351 125300 IMSON 1318 045001 MSON 1325 214401 MSON 1345 136616 T816E03 1342 135716 T816E03 1351 165600 IMSON 1318 045016 T816E03 1325 214401 T816E03 1334 07480 MSON 1342 135716 T816E03 1351 165616 T816E03 1318 045016 T816E03 1325 214416 T816E03 1334 074816 T816E03 1342 125700 STOPIT 1351 122000 STOPIT 1318 084700 IMSON 1326 022300 IMSON 1334 074816 T816E03 1342 222900 IMSON 1351 201100 T816E03 1318 084716 T816E03 1326 022316 T816E03 1334 103516 T816E03 1342 222916 T816E03 1351 235200 STOPIT 1318 102000 STOPIT 1326 030400 STOPIT 1334 103516 T816E03 1342 231900 STOPIT 1352 053800 IMSON 1318 113300 IMSON 1326 041800 IMSON 1334 104916 T816E03 1343 000516 T816E03 1352 053816 T816E03 1318 113316 T816E03 1326 041800 IMSON 1334 144916 T816E03 1343 000516 T816E03 1352 092100 M083201 1318 113316 T816E03 1326 041800 STOPIT 1334 144916 T816E03 1343 044700 STOPIT 1352 092100 M083201 1318 13316 T816E03 1326 041800 STOPIT 1334 144916 T816E03 1343 044700 STOPIT 1352 092100 M083201 1318 230300 IMSON 1326 150700 IMSON 1334 120800 STOPIT 1343 050216 T816E03 1352 04900 T816E03 1318 230300 IMSON 1326 150716 T816E03 1334 201500 IMSON 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326	1 1318 012600 STOPIT	1325 131400 STOPIT	1333 235500 STOPIT	1342 075700 IMSON	1351 073600 IMSON
1316 045000 IMSON 1325 214400 IMSON 1334 030100 STOPIT 1342 135700 IMSON 1351 165600 IMSON 1318 045016 T816E03 1325 214416 T816E03 1334 074800 IMSON 1342 135716 T816E03 1351 165616 T816E03 1318 045016 T816E03 1325 214416 T816E03 1334 074816 T816E03 1342 161000 STOPIT 1351 192000 STOPIT 1318 084700 IMSON 1326 022300 IMSON 1334 094700 STOPIT 1342 222900 IMSON 1351 201100 T816E03 1318 084716 T816E03 1326 022316 T816E03 1334 103516 T816E03 1342 222916 T816E03 1351 232500 STOPIT 1318 084716 T816E03 1326 022316 T816E03 1334 103516 T816E03 1342 222916 T816E03 1352 053800 IMSON 1318 113300 IMSON 1326 041800 IMSON 1334 103516 T816E03 1343 000500 IMSON 1352 053816 T816E03 1318 113316 T816E03 1326 041816 T816E03 1334 144906 IMSON 1343 000516 T816E03 1352 085500 STOPIT 1318 171300 STOPIT 1326 00300 STOPIT 1334 144916 T816E03 1343 044700 STOPIT 1352 092100 M083201 1318 171300 STOPIT 1326 100300 STOPIT 1334 144916 T816E03 1343 044700 STOPIT 1352 092100 M083201 1318 230300 IMSON 1326 150700 IMSON 1334 201500 IMSON 1343 050216 T816E03 1352 092100 M083201 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1334 201516 T816E03 1	1318 021916 T816E03	1325 164116 T816E03	1334 020916 T816E03	1342 093100 STOPIT	1351 122300 STOPIT
1318 045016 T816E03 1325 214416 T816E03 1334 074816 T816E03 1342 161000 STOPIT 1351 192000 STOPIT 1318 085300 STOPIT 1326 003000 STOPIT 1334 094700 STOPIT 1342 222900 IMSON 1351 201100 T816E03 1318 084716 T816E03 1326 022316 T816E03 1334 103516 T816E03 1342 222916 T816E03 1351 232500 STOPIT 1318 084716 T816E03 1326 022316 T816E03 1334 103516 T816E03 1342 221916 T816E03 1351 232500 STOPIT 1318 02000 STOPIT 1326 030400 STOPIT 1334 103516 T816E03 1342 231900 STOPIT 1352 053800 IMSON 1318 113300 IMSON 1326 041800 IMSON 1334 124900 STOPIT 1343 000500 IMSON 1352 053816 T816E03 1318 113316 T816E03 1326 041816 T816E03 1334 144906 IMSON 1343 000516 T816E03 1352 085500 STOPIT 1318 171300 STOPIT 1326 041816 T816E03 1334 144916 IMSON 1343 044700 STOPIT 1352 092100 M083201 1318 171300 STOPIT 1326 100300 STOPIT 1334 162800 STOPIT 1343 050216 T816E03 1352 092100 M083201 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1352 142600 IMSON	1318 045000 TMSON	1325 202600 STOPIT 1325 214400 IMSON	1334 074800 IMSON	1342 135700 IMSON 1342 135716 T816E03	1351 165616 T816E03
1318 084700 IMSON	1318 045016 T816E03 1318 055300 STOPIT	1325 214416 T816E03 1326 003000 STOPIT	1334 074816 T816E03 1334 094700 STOPIT	1342 161000 STOPIT 1342 222900 IMSON	1351 192000 STOPIT 1351 201100 T816E03
1318 102000 STOPIT 1326 030400 STOPIT 1334 124900 STOPIT 1343 000500 IMSON 1352 053816 T816E03 1318 113300 IMSON 1326 041800 IMSON 1334 144900 IMSON 1343 000516 T816E03 1352 085500 STOPIT 1318 113316 T816E03 1326 041816 T816E03 1334 144916 T816E03 1343 044700 STOPIT 1352 092100 M083201 1318 171300 STOPIT 1326 100300 STOPIT 1334 162800 STOPIT 1343 050200 IMSON 1352 094900 T816E03 1318 230300 IMSON 1326 150700 IMSON 1334 201500 IMSON 1343 050216 T816E03 1352 094900 STOPIT 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON 1352 142600 IMSON 1352 042600	1318 084700 IMSON 1318 084716 TRISEO3	1326 022300 IMSON 1326 022316 TRIGEOS	1334 103500 IMSON 1334 103516 TRIGEOR	1342 222916 T816E03	1351 232500 STOPIT 1352 053800 IMSON
1318 171300 STOPIT 1326 100300 STOPIT 1334 144916 T816E03 1343 044700 STOPIT 1352 092100 M093201 1318 171300 STOPIT 1326 100300 STOPIT 1334 162800 STOPIT 1343 050200 IMSON 1352 092100 M093201 1318 230300 IMSON 1326 150700 IMSON 1334 201500 IMSON 1343 050216 T816E03 1352 120800 STOPIT 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON	1318 102000 STOPIT	1326 030400 STOPIT	1334 124900 STOPIT	1343 000500 IMSON	1352 053816 T816E03
1316 171500 STOPIT 1326 100300 STOPIT 1334 162800 STOPIT 1343 050200 IMSON 1352 094900 T816E03 1318 230300 IMSON 1326 150700 IMSON 1334 201500 IMSON 1343 050216 T816E03 1352 120800 STOPIT 1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON	1318 113316 T816E03	1326 041816 T816E03	1334 144916 T816E03	1343 044700 STOPIT	1352 092100 M083201
1318 230316 T816E03 1326 150716 T816E03 1334 201516 T816E03 1343 063900 STOPIT 1352 142600 IMSON	1318 230300 IMSON	1326 100300 STOPLT 1326 150700 IMSON	1334 162800 STOPIT 1334 201500 IMSON	1343 050200 IMSON 1343 050216 T816E03	1352 120800 STOPIT
	1 1318 530319 1819E03	1326 150716 T816E03	1334 201516 T816E03	1343 063900 STOPIT	1352 142600 IMSON

1352 1352	14 2616 15 4900	T816E03 STOPIT
1352 1352	172200 172216	TB16E03
1352	04 1700	IMSON
1353	05 2900	STOPIT
1353	073216	TB16E03
1353	160000	IMSON T816E03
1353	191600	STOPIT IMSON
1353 1353	21 0516 23 3500	T816E03 STOPIT
1354 1354	01 0300 01 0316	IMSON T816E03
1354 1354	02 0400 07 4100	STOPIT IMSON
1354	074116	STOPIT
1354	111800	STOPIT
1354	150200	T816E03
1354	165400	T816E03
1355	002700	IMSON TRIGEOR
1355 1355	052400	STOPIT IMSON
1355 1355	104016 121400	T816E03 STOPIT
1355 1355	163000 163016	IMSON T816E03
1355 1355	191200	STOPIT SH16M01
1355	23 4000	STOPIT
1356	045116	TB16E03
1356	104400	IMSON TRIGEOR
1356	154100 163800	STOPIT T816E03
1356 1356	191500 220000	STOPIT IMSON
1356 1356	22 0016 22 3500	T816E03 STOPIT
2222223333333333333444444444444555555555	14 2616 15 4900 17 2216 22 4400 04 1716 07 3216 12 1900 07 3216 12 1900 16 0016 12 10500 12 10516 23 3500 07 3216 12 10500 12 10516 20 10300 07 4100 07 4100 0	IMSON T816E03
1357	103600	IMSON
1357	121000	STOPIT
1357	162516	T816E03
1357	193100	M283401 STOPIT
1358 1358	044900 044916	IMSON T816E03
1358 1358	084400 104100	STOPIT IMSON
1358 1358	104116	TB16E03
1358	163500	STOPIT
1358	215916	T816E03
1358	232700	T816E03
1359	003700	IMSON T816E03
1359 1359	051800 084800	STOPIT IMSON
1359 1359	084816 120900	T816E03
1359 1359	195900 195916	IMSON M283401
1360	015500	IMSON
1360	07 3 3 0 0	T816E03
1360	123100	IMSON SHIEMOI
1360	15 0200	T816E03
1360 1360	192400 215100	STOPIT IMSON
1360 1360	215116 222800	T816E03
1361 1361	003300 003316	IMSON T816E03
1361 1361	051400 084400	STOPIT IMSON
1361	120500	STOPIT
13558 133558 133555999 133555999 1133555999 113366600000000000000000000000000000000	215916 223400 235700 0037700 0037716 0051800 001716 0051800 001716 00171	### TRICE OF
1362	041400	IMSON

END LISTING


V. DE1/RIMS 1981 SUMMARY SPECTROGRAMS


Errata


Units listed for the various orbit parameters shown at the bottom of each plot should be as follows:


TIME	ННММ
RE	RE
L	
MLT	HRS
MLAT	DEGS
INVLAT	DEGS


The panel labeled L/He⁺⁺ refers to the response of the RIMS low-mass channel to the M/Z=2 mass/charge settings.


































































































































































































































































































































































































































































































































































































































































































































































































































































































APPROVAL

DYNAMICS EXPLORER 1, RETARDING ION MASS SPECTROMETER SUMMARY SPECTROGRAMS--81/280 TO 81/365 SPIN-TIME SPECTROGRAMS FOR H+, HE+, O+, N+, O++, M/Z=2, AND MOLECULAR IONS

DE 1/RIMS Investigators

This report has been reviewed for technical accuracy and contains no information concerning national security or nuclear energy activities or programs. The report, in its entirety, is unclassified.

Gregofy \$ Wilson

Director, Space Sciences Laboratory

REPORT DOCUMENTATION PAGE Form Approved OMB No. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden. To Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. 1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED <u>Iulv 1994</u> Technical Memorandum 4. TITLE AND SUBTITLE 5. FUNDING NUMBERS Dynamics Explorer 1, Retarding Ion Mass Spectrometer Summary Spectrograms--81/280 to 81/365 Spin-Time Spectrograms for H+, He+, O+, N+, O++, M/Z=2, and Molecular Ions 6. AUTHOR(S) DE 1/RIMS Investigators 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) PERFORMING ORGANIZATION REPORT NUMBER George C. Marshall Space Flight Center Marshall Space Flight Center, AL 35812 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING/MONITORING AGENCY REPORT NUMBER National Aeronautics and Space Administration Washington, D.C. 20546 NASA TM- 108462 11. SUPPLEMENTARY NOTES Point of Contact: B. L. Giles/ES83/205-544-7637 Prepared by Space Sciences Laboratory, Science & Engineering Directorate. 12a. DISTRIBUTION/AVAILABILITY STATEMENT 12b. DISTRIBUTION CODE Unclassified--Unlimited 13. ABSTRACT (Maximum 200 words) The Retarding Ion Mass Spectrometer (RIMS) experiment onboard the Dynamics Explorer 1 (DE 1) satellite was designed to perform energy and mass-per-charge analysis on low-energy ions (<50 eV) with mass/charge ratios ranging from 1 to 40 amu/Z. The DE 1 satellite, carrying the RIMS experiment, was launched into an elliptical polar orbit on August 3, 1981. The ~7.5 hour orbit has perigee of 675 km altitude and apogee of 24,875 km altitude. This document, and those that follow in this series, contains summary RIMS data spectrograms for each orbit for which RIMS data are available. The RIMS instrument began returning science data on day 280 of 1981 and continued to return usable data until the end of the DE mission in March 1991. It should be noted that studies of the RIMS data set should be conducted only with a thorough awareness of the material described in the introduction section presented here, or in collaboration with a scientist familiar with RIMS data analysis. 14. SUBJECT TERMS 15. NUMBER OF PAGES Low-Energy Ions, Inner Magnetosphere, DE RIMS Data 310 16. PRICE CODE NTIS

OF REPORT

17. SECURITY CLASSIFICATION

20. LIMITATION OF ABSTRACT

19. SECURITY CLASSIFICATION

Unclassified

OF ABSTRACT

18. SECURITY CLASSIFICATION

Unclassified

OF THIS PAGE